

**Appendix 2 PHOF Change Relative to England or Benchmark**

<i>Topic</i>	<i>Indicator</i>	<i>Change From</i>	<i>Change to</i>	<i>Direction of change</i>
<b>Overarching Indicators</b>	<b>A01a - Healthy life expectancy at 65 (Female)</b>	<b>Worse than England</b>	<b>Similar to England</b>	<b>(+) Improving</b>
<b>Overarching Indicators</b>	<b>A01c - Disability-free life expectancy at birth (Female)</b>	<b>Worse than England</b>	<b>Similar to England</b>	<b>(+) Improving</b>
Wider determinants of health	B05 - 16-17 year olds not in education, employment or training (NEET) or whose activity is not known	Similar to England	Worse than England	(-) Declining
Wider determinants of health	B06a - Adults with a learning disability who live in stable and appropriate accommodation	Worse than England	Similar to England	(+) Improving
Wider determinants of health	B08b - Gap in the employment rate between those with a learning disability and the overall employment rate	Similar to England	Worse than England	(-) Declining
Wider determinants of health	B08c - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	Similar to England	Worse than England	(-) Declining
Wider determinants of health	B08d - Percentage of people in employment	Better than England	Similar to England	(-) Declining
Wider determinants of health	B09a - Sickness absence - the percentage of employees who had at least one day off in the previous week	Similar to England	Better than England	(+) Improving
Wider determinants of health	B11 - Domestic abuse-related incidents and crimes	Second lowest quintile	Lowest quintile	(-) Declining
Wider determinants of health	B13a - Re-offending levels - percentage of offenders who re-offend	Middle quintile	Second highest quintile	(-) Declining
Wider determinants of health	B17 - Fuel poverty (low income, high cost methodology)	Best quintile	Middle quintile	(-) Declining
Wider determinants of health	B18a - Social Isolation: percentage of adult social care users who have as much social contact as they would like (18+ yrs)	Worse than England	Similar to England	(+) Improving
Health Improvement	C04 - Low birth weight of term babies	Similar to England	Better than England	(+) Improving
Health Improvement	C05a - Baby's first feed breastmilk	Not calculated	Worse than England	(sense not clear)
Health Improvement	C08a - Child development: percentage of children achieving a good level of development at 2-2½ years	Similar to England	Better than England	(+) Improving

<i>Topic</i>	<i>Indicator</i>	<i>Change From</i>	<i>Change to</i>	<i>Direction of change</i>
Health Improvement	C08b - Child development: percentage of children achieving the expected level in communication skills at 2-2½ years	Similar to England	Better than England	(+) Improving
Health Improvement	C11b - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	Better than England	Similar to England	(-) Declining
Health Improvement	C14b - Emergency Hospital Admissions for Intentional Self-Harm	Similar to England	Worse than England	(-) Declining
Health Improvement	C19a - Successful completion of drug treatment - opiate users	Similar to England	Worse than England	(-) Declining
Health Improvement	C19b - Successful completion of drug treatment - non-opiate users	Better than England	Similar to England	(-) Declining
Health Improvement	C20 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison	Worse than England	Similar to England	(+) Improving
Health Improvement	C21 - Admission episodes for alcohol-related conditions (Narrow): New method. This indicator uses a new set of attributable fractions, and so differ from that originally published. (Male)	Similar to England	Worse than England	(-) Declining
Health Improvement	C23 - Percentage of cancers diagnosed at stages 1 and 2	Worse than England	Similar to England	(+) Improving
Health Improvement	C28a - Self-reported wellbeing - people with a low satisfaction score	Not calculated	Similar to England	(sense not clear)
Health Improvement	C29 - Emergency hospital admissions due to falls in people aged 65 and over	Worse than England	Similar to England	(+) Improving
Health Improvement	C29 - Emergency hospital admissions due to falls in people aged 65-79	Similar to England	Better than England	(+) Improving
Health Protection	D02a - Chlamydia detection rate / 100,000 aged 15 to 24	Benchmark - middle	Benchmark - better	(+) Improving
Health Protection	D03d - Population vaccination coverage - MenB (1 year)	Benchmark - middle	Benchmark - better	(+) Improving
Health Protection	D03i - Population vaccination coverage - MenB booster (2 years)	Benchmark - worse	Benchmark - middle	(+) Improving
Health Protection	D03l - Population vaccination coverage - Flu (2-3 years old)	Benchmark - middle	Benchmark - better	(+) Improving

**Appendix 2 PHOF Change Relative to England or Benchmark**

<i>Topic</i>	<i>Indicator</i>	<i>Change From</i>	<i>Change to</i>	<i>Direction of change</i>
Health Protection	D04c - Population vaccination coverage - MMR for two doses (5 years old)	Benchmark - worse	Benchmark - middle	(+) Improving
Health Protection	D04e - Population vaccination coverage - HPV vaccination coverage for one dose (12-13 years old) (Female)	Benchmark - better	Benchmark - worse	(-) Declining
Health Protection	D04f - Population vaccination coverage - HPV vaccination coverage for two doses (13-14 years old) (Female)	Benchmark - better	Benchmark - worse	(-) Declining
Health Protection	D05 - Population vaccination coverage - Flu (at risk individuals)	Benchmark - worse	Benchmark - better	(+) Improving
Healthcare and premature mortality	E09a - Premature mortality in adults with severe mental illness (SMI)	Similar to England	Better than England	(+) Improving
Healthcare and premature mortality	E10 - Suicide rate	Similar to England	Better than England	(+) Improving