

Health summary for Nottinghamshire

Indicators			Spine Chart		Variation between Counties nationally			
Source: Public Health England (PHE) fingertips Health Profiles 2015					◆ East Midlands region ● Nottinghamshire districts ● Nottinghamshire Better ● Nottinghamshire Similar ● Nottinghamshire Worse			
URL: http://fingertips.phe.org.uk/profile/health-profiles								
Domain	Indicator	Period	Local No. per year	Local value	Eng. Value	Eng. Worst	England range	Eng. Best
Our communities	1 Deprivation	2013	129,284	16.2	20.4	83.8		0.0
	2 Children in poverty (under 16s)	2012	23,500	16.9	19.2	37.9		6.6
	3 Statutory homelessness	2013/14	480	1.4	2.3	12.5		0.1
	4 GCSE achieved (5A*-C inc. Eng & Maths)	2013/14	5,008	57.6	56.8	35.4		74.4
	5 Violent crime (violence offences)	2013/14	7,390	9.4	11.1	27.8		4.6
	6 Long term unemployment	2014	3,224	6.5	7.1	23.5		1.3
Children's and young people's health	7 Smoking status at time of delivery	2013/14	1,331	16.7	12.0	27.5		1.9
	8 Breastfeeding initiation	2013/14	5,711	70.6	73.9	36.6		93.0
	9 Obese children (Year 6)	2013/14	1,273	17.5	19.1	26.7		11.1
	10 Alcohol-specific hospital stays (under 18)	2011/12 - 13/14	57	34.9	40.1	100.0		13.7
	11 Under 18 conceptions	2013	340	24.2	24.3	43.9		9.2
Adults' health and lifestyle	12 Smoking prevalence	2013	N/A	18.4	18.4	29.4		10.5
	13 Percentage of physically active adults	2013	1,888	58.1	56.0	43.5		67.0
	14 Obese adults	2012	N/A	24.0	23.0	35.2		11.2
	15 Excess weight in adults	2012	1,357	66.4	63.8	74.4		45.9
Disease and poor health	16 Incidence of malignant melanoma	2010 - 12	130	18.2	18.4	37.3		4.8
	17 Hospital stays for self-harm	2013/14	1,632	207.9	203.2	682.7		60.9
	18 Hospital stays for alcohol related harm	2013/14	5,351	674.7	645.1	1,230.5		366.3
	19 Prevalence of opiate and/or crack use	2011/12	4,436	8.7	8.4	20.8		1.9
	20 Recorded diabetes	2013/14	40,222	6.4	6.2	8.7		3.7
	21 Incidence of TB	2011 - 13	32	4.0	14.8	113.7		0.5
	22 New STI (exc Chlamydia aged under 25)	2013	3,558	700.3	818.3	2,891.4		365.4
	23 Hip fractures in people aged 65 and over	2013/14	884	556.8	580.0	838.5		381.6
Life expectancy and causes of death	24 Excess winter deaths (three year)	Aug 2010 - Jul 2013	418	17.4	17.4	27.0		4.3
	25 Life expectancy at birth (Male)	2011 - 13	N/A	79.6	79.4	74.3		82.6
	26 Life expectancy at birth (Female)	2011 - 13	N/A	83.0	83.1	80.0		86.2
	27 Infant mortality	2011 - 13	33	3.7	4.0	7.1		1.3
	28 Smoking related deaths	2011 - 13	1,282	279.5	288.7	471.6		186.6
	29 Suicide rate	2011 - 13	67	8.5	8.8	13.6		4.5
	30 Under 75 mortality rate: cardiovascular	2011 - 13	526	74.2	78.2	137.0		52.1
	31 Under 75 mortality rate: cancer	2011 - 13	1,041	145.7	144.4	198.9		104.0
	32 Killed and seriously injured on roads	2011 - 13	414	52.4	39.7	78.9		16.6

Health summary for Nottinghamshire

Indicators			Statistical significance relative to England								Better than England	Similar to England	Worse then England
Source: Public Health England (PHE) fingertips Health Profiles 2015			England	Region	County	County Districts							
URL: http://fingertips.phe.org.uk/profile/health-profiles													
Domain	Indicator	Period	England	East Midlands region	Nottinghamshire	Bassetlaw	Ashfield	Mansfield	Newark and Sherwood	Gedling	Broxtowe	Rushcliffe	
Our communities	1 Deprivation	2013	20.4 n=10,987,926	17.0 n=780,832	16.2 n=129,284	27.9 n=31,739	24.1 n=29,319	39.6 n=41,660	14.3 n=16,661	3.3 n=3,751	5.5 n=6,154	0.0 n=0	
	2 Children in poverty (under 16s)	2012	19.2 n=1,912,310	18.2 n=151,375	16.9 n=23,500	17.5 n=3,470	23.2 n=5,195	22.7 n=4,345	16.0 n=3,300	15.7 n=3,070	15.2 n=2,710	7.3 n=1,410	
	3 Statutory homelessness	2013/14	2.3 n=52,270	1.9 n=3,600	1.4 n=480	0.8 n=41	1.6 n=85	3.3 n=150	2.6 n=127	1.0 n=51	0.2 n=10	0.2 n=11	
	4 GCSE achieved (5A*-C inc. Eng & Maths)	2013/14	56.8 n=315,873	54.0 n=26,608	57.6 n=5,008	63.7 n=780	51.6 n=695	53.8 n=666	48.4 n=473	54.6 n=763	57.1 n=592	70.6 n=1,039	
	5 Violent crime (violence offences)	2013/14	11.1 n=593,830	10.2 n=46,512	9.4 n=7,390	10.6 n=1,198	10.6 n=1,275	15.1 n=1,581	9.2 n=1,066	6.7 n=N/A	6.7 n=N/A	6.7 n=N/A	
	6 Long term unemployment	2014	7.1 n=245,327	6.9 n=19,993	6.5 n=3,224	7.2 n=510	8.6 n=658	10.0 n=671	5.1 n=371	6.2 n=444	5.0 n=349	3.2 n=221	
Children's and young people's health	7 Smoking status at time of delivery	2013/14	12.0 n=75,913	15.1 n=7,616	16.7 n=1,331	20.3 n=218	20.9 n=295	23.5 n=287	19.5 n=203	15.0 n=172	11.1 n=106	4.6 n=51	
	8 Breastfeeding initiation	2013/14	73.9 n=449,063	71.9 n=36,810	70.6 n=5,711	69.0 n=752	63.6 n=902	N/A	68.1 n=843	N/A	N/A	85.7 n=936	
	9 Obese children (Year 6)	2013/14	19.1 n=98,190	18.1 n=7,993	17.5 n=1,273	19.1 n=191	20.1 n=225	20.6 n=191	18.5 n=198	17.4 n=193	18.1 n=170	9.7 n=105	
	10 Alcohol-specific hospital stays (under 18)	2011/12 - 13/14	40.1 n=4,575	33.8 n=323	34.9 n=57	40.5 n=10	42.6 n=12	47.7 n=10	30.8 n=7	28.7 n=7	34.3 n=7	20.0 n=5	
	11 Under 18 conceptions	2013	24.3 n=22,830	24.6 n=1,982	24.2 n=340	26.0 n=56	28.1 n=61	36.0 n=68	27.9 n=55	23.5 n=48	15.0 n=28	12.4 n=24	
Adults' health and lifestyle	12 Smoking prevalence	2013	18.4 n=N/A	19.1 n=N/A	18.4 n=N/A	22.5 n=N/A	21.6 n=N/A	25.8 n=N/A	17.6 n=N/A	14.9 n=N/A	15.5 n=N/A	11.3 n=N/A	
	13 Percentage of physically active adults	2013	56.0 n=86,509	55.9 n=10,675	58.1 n=1,888	59.5 n=269	56.8 n=254	50.2 n=250	54.3 n=268	64.4 n=285	60.8 n=269	60.1 n=293	
	14 Obese adults	2012	23.0 n=N/A	24.1 n=N/A	24.0 n=N/A	24.7 n=N/A	28.2 n=N/A	32.4 n=N/A	19.2 n=N/A	23.7 n=N/A	20.9 n=N/A	19.1 n=N/A	
	15 Excess weight in adults	2012	63.8 n=85,221	65.6 n=7,630	66.4 n=1,357	69.2 n=206	69.6 n=220	70.5 n=193	64.8 n=189	67.9 n=202	64.4 n=183	58.3 n=164	
Disease and poor health	16 Incidence of malignant melanoma	2010 - 12	18.4 n=8,261	17.7 n=699	18.2 n=130	18.0 n=19	15.9 n=17	14.5 n=13	22.2 n=24	16.3 n=17	15.9 n=16	23.9 n=24	
	17 Hospital stays for self-harm	2013/14	203.2 n=111,997	209.2 n=9,781	207.9 n=1,632	262.6 n=285	250.5 n=305	205.3 n=218	215.9 n=242	198.9 n=227	180.8 n=199	141.9 n=156	
	18 Hospital stays for alcohol related harm	2013/14	645.1 n=333,014	673.9 n=30,137	674.7 n=5,351	708.6 n=806	754.8 n=893	712.5 n=738	627.8 n=740	666.2 n=767	669.7 n=750	584.4 n=658	
	19 Prevalence of opiate and/or crack use	2011/12	8.4 n=293,879	8.1 n=24,085	8.7 n=4,436	13.5 n=984	9.9 n=772	16.5 n=1,136	7.2 n=527	4.3 n=314	6.5 n=472	3.2 n=231	
	20 Recorded diabetes	2013/14	6.2 n=2,814,004	6.6 n=256,581	6.4 n=40,222	7.3 n=6,563	6.6 n=6,492	6.7 n=5,187	6.3 n=6,791	6.1 n=4,941	6.3 n=5,371	5.3 n=4,877	
	21 Incidence of TB	2011 - 13	14.8 n=7,891	10.3 n=469	4.0 n=32	2.9 n=3	3.9 n=5	3.8 n=4	2.0 n=2	5.5 n=6	6.0 n=7	4.2 n=5	
	22 New STI (exc Chlamydia aged under 25)	2013	818.3 n=286,245	671.7 n=19,934	700.3 n=3,558	641.9 n=464	824.2 n=643	953.9 n=652	582.9 n=428	747.8 n=547	630.4 n=452	523.1 n=372	
	23 Hip fractures in people aged 65 and over	2013/14	580.0 n=57,377	553.1 n=4,786	556.8 n=884	639.0 n=148	553.2 n=120	671.6 n=129	629.5 n=151	464.2 n=110	571.0 n=130	383.8 n=96	
Life expectancy and causes of death	24 Excess winter deaths (three year)	Aug 2010 - Jul 2013	17.4 n=25,545	18.2 n=2,383	17.4 n=418	21.0 n=76	10.6 n=40	15.3 n=50	17.2 n=63	18.0 n=62	14.6 n=49	26.5 n=79	
	25 Life expectancy at birth (Male)	2011 - 13	79.4 n=N/A	79.3 n=N/A	79.6 n=N/A	78.8 n=N/A	78.2 n=N/A	78.5 n=N/A	79.5 n=N/A	80.6 n=N/A	80.7 n=N/A	81.4 n=N/A	
	26 Life expectancy at birth (Female)	2011 - 13	83.1 n=N/A	83.0 n=N/A	83.0 n=N/A	82.4 n=N/A	82.1 n=N/A	81.9 n=N/A	82.9 n=N/A	83.4 n=N/A	83.6 n=N/A	84.6 n=N/A	
	27 Infant mortality	2011 - 13	4.0 n=2,715	4.2 n=230	3.7 n=33	3.5 n=4	4.3 n=7	2.7 n=4	4.0 n=5	2.9 n=4	3.7 n=5	4.8 n=5	
	28 Smoking related deaths	2011 - 13	288.7 n=81,902	282.4 n=7,093	279.5 n=1,282	303.4 n=203	340.3 n=218	332.4 n=190	277.6 n=194	255.9 n=172	261.2 n=170	196.9 n=134	
	29 Suicide rate	2011 - 13	8.8 n=4,586	8.4 n=375	8.5 n=67	10.8 n=12	7.6 n=9	12.0 n=12	7.8 n=9	N/A	7.6 n=8	7.8 n=9	
	30 Under 75 mortality rate: cardiovascular	2011 - 13	78.2 n=33,483	80.0 n=3,091	74.2 n=526	78.8 n=83	86.0 n=91	90.1 n=80	76.9 n=84	62.5 n=64	73.6 n=72	52.7 n=52	
	31 Under 75 mortality rate: cancer	2011 - 13	144.4 n=62,215	143.8 n=5,597	145.7 n=1,041	144.6 n=154	170.9 n=181	159.9 n=143	131.2 n=145	153.7 n=158	134.1 n=133	126.8 n=126	
	32 Killed and seriously injured on roads	2011 - 13	39.7 n=21,245	44.7 n=2,041	52.4 n=414	62.4 n=71	48.6 n=58	44.6 n=47	68.0 n=79	44.7 n=51	40.3 n=45	57.1 n=64	

Prepared by: Nottinghamshire County Public Health Information Team (IB)
E: ph.info@nottsgov.uk

Health summary for Nottinghamshire

Indicators

Indicator metadata

Source: Public Health England (PHE) fingertips Health Profiles 2015

URL: <http://fingertips.phe.org.uk/profile/health-profiles>

Domain	Indicator	Period	Definition	Value type	Unit
Our communities	1 Deprivation	2013	% of the relevant population in this area living in the 20% most deprived Lower Super Output Areas in England.	Proportion	%
	2 Children in poverty (under 16s)	2012	Percentage of children in low income families (children living in families in receipt of out of work benefits or tax credits where their reported income is less than 60% median income) for under 16s only	Proportion	%
	3 Statutory homelessness	2013/14	Statutory homeless households, crude rate per 1,000 estimated total households, all ages	Crude rate	per 1,000
	4 GCSE achieved (5A*-C inc. Eng & Maths)	2013/14	Percentage of pupils achieving 5 or more GCSEs at grades A*-C (including English and Maths) or equivalent at end of Key Stage 4 in schools maintained by the Local Authority, at the end of the academic year	Proportion	%
	5 Violent crime (violence offences)	2013/14	Violence against the person offences, based on police recorded crime data, crude rate per 1,000 population	Crude rate	per 1,000
	6 Long term unemployment	2014	Claimant count for jobseekers allowance, 16-64 year olds claiming for more than 12 months, crude rate per 1000 resident population, 16-64 year olds.	Crude rate	per 1,000
Children's and young people's health	7 Smoking status at time of delivery	2013/14	Number of women who currently smoke at time of delivery per 100 maternities.	Proportion	%
	8 Breastfeeding initiation	2013/14	The percentage of mothers who give their babies breast milk in the first 48 hours after delivery. The numerator is the number of mothers initiating breast feeding and the denominator is the total number of maternities.	Proportion	%
	9 Obese children (Year 6)	2013/14	Prevalence of obesity (BMI greater than 95th centile of the UK90 growth reference) among children in Year 6 (age 10-11 years)	Proportion	%
	10 Alcohol-specific hospital stays (under 18)	2011/12 - 13/14	Persons admitted to hospital due to alcohol-specific conditions - under 18 year olds. See LAPE user guide for further details - http://www.lape.org.uk/downloads/Lape_guidance_and_methods.pdf	Crude rate	per 100,000
	11 Under 18 conceptions	2013	Conceptions in women aged under 18 per 1,000 females aged 15-17	Crude rate	per 1,000
Adults' health and lifestyle	12 Smoking prevalence	2013	Prevalence of smoking among persons aged 18 years and over.	Proportion	%
	13 Percentage of physically active adults	2013	Respondents aged 16 and over, with valid responses to questions on physical activity, doing at least 150 'equivalent' minutes of at least moderate intensity physical activity per week in bouts of 10 mins or more in the previous 28 days	Proportion	%
	14 Obese adults	2012	Adults with a BMI greater than or equal to 30kg/m2	Proportion	%
	15 Excess weight in adults	2012	Percentage of adults classified as overweight or obese	Proportion	%
Disease and poor health	16 Incidence of malignant melanoma	2010 - 12	Registrations for malignant melanoma of the skin (ICD-10 C43), directly age-standardised rate, persons, under 75, (3-year average of annual rates), per 100,000 2013 European Standard population.	Directly standardised rate	per 100,000
	17 Hospital stays for self-harm	2013/14	Emergency Hospital Admissions for Intentional Self-Harm, directly age-sex standardised rate, all ages, Persons.	Directly standardised rate	per 100,000
	18 Hospital stays for alcohol related harm	2013/14	Admissions to hospital where the primary diagnosis is an alcohol-attributable code or a secondary diagnosis is an alcohol-attributable external cause code. See LAPE user guide for further details	Directly standardised rate	per 100,000
	19 Prevalence of opiate and/or crack use	2011/12	Estimated prevalence of opiate and/or crack cocaine users (previously defined as 'problem drug users'), crude rate per 1,000 population, ages 15-64, persons.	Crude rate	per 1,000
	20 Recorded diabetes	2013/14	The prevalence of Quality and Outcomes Framework (QOF) recorded diabetes in the population registered with GP practices aged 17 and over.	Proportion	%
	21 Incidence of TB	2011 - 13	The three-year average number of reported new cases per year (based on case notification) per 100,000 population	Crude rate	per 100,000
	22 New STI (exc Chlamydia aged under 25)	2013	All new STI diagnoses (excluding Chlamydia in under 25 year olds) in GUM clinic attendees who are resident in England (excludes non-residents accessing English clinics)	Crude rate	per 100,000
	23 Hip fractures in people aged 65 and over	2013/14	Emergency Hospital Admission for fractured neck of femur in persons aged 65 and over, directly age-sex standardised rate per 100,000.	Directly standardised rate	per 100,000
Life expectancy and causes of death	24 Excess winter deaths (three year)	Aug 2010 - Jul 2013	Excess Winter Deaths Index (EWD Index) is the excess winter deaths measured as the ratio of extra deaths from all causes that occur in the winter months compared with the average of the number of non-winter deaths.	Ratio	
	25 Life expectancy at birth (Male)	2011 - 13	The average number of years a person would expect to live based on contemporary mortality rates. For a particular area and time period, it is an estimate of the average number of years a newborn baby would survive.	Life expectancy	Years
	26 Life expectancy at birth (Female)	2011 - 13	The average number of years a person would expect to live based on contemporary mortality rates. For a particular area and time period, it is an estimate of the average number of years a newborn baby would survive.	Life expectancy	Years
	27 Infant mortality	2011 - 13	Infant deaths under 1 year of age per 1000 live births	Crude rate	per 1,000
	28 Smoking related deaths	2011 - 13	Deaths attributable to smoking, directly age-sex standardised rate for persons aged 35 years +. Relative risks by ICD10 code from The Information Centre for Health and Social Care, Statistics on Smoking: England 2010.	Directly standardised rate	per 100,000
	29 Suicide rate	2011 - 13	Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population	Directly standardised rate	per 100,000
	30 Under 75 mortality rate: cardiovascular	2011 - 13	Age-standardised rate of mortality from all cardiovascular diseases (including heart disease and stroke) in persons less than 75 years per 100,000 population.	Directly standardised rate	per 100,000
	31 Under 75 mortality rate: cancer	2011 - 13	Age-standardised rate of mortality from all cancers in persons less than 75 years per 100,000 population	Directly standardised rate	per 100,000
	32 Killed and seriously injured on roads	2011 - 13	Number of people reported killed or seriously injured (KSI) on the roads, all ages, per 100,000 resident population.	Crude rate	per 100,000

Prepared by: Nottinghamshire County Public Health Information Team (IB)
E: ph.info@nottscc.gov.uk