




| Annual Financial Value of Contract Range | Category |
|--|-------------|
| More than or equal to £1,000,000 | High |
| £100,000 to £999,999 | Medium High |
| £20,000 to £99,999 | Medium |
| Less than or equal to £19,999 | Low |

| | |
|---|-----------------------------------|
|  | Change from previous month > 5% |
|  | Equal to previous month by +/- 5% |
|  | Change from previous month < 5% |

| Service, Provider and Outcome | Contract Value Category | Public Health Outcomes Indicator | Performance Indicators | Q1 | Q2 | Q3 | Q4 | 2016/17 Total Achieved | Annual Target | % of target met | Notes | Trend |
|--|-------------------------|----------------------------------|--|---|-------------|-------------|----|------------------------|---------------|-----------------|--|-------|
| National Child Measurement Programme To achieve a sustained downward trend in the level of excess weight in children by 2020 | Medium High | 2.06 | % of children in Reception with height and weight recorded | Academic year 2016+C16/17 published end of Nov/Dec by HSCIC | | 95.22% | | 95% | n/a | n/a | | |
| | | | % of children in Year 6 with height and weight recorded | Academic year 2016+C16/17 published end of Nov/Dec by HSCIC | | 89.37% | | 89% | n/a | n/a | | |
| | | | Parents/Carers receive the information regarding their child within 6-weeks post measurement | Academic year 2016+C16/17 published and of Nov/Dec by HSCIC | | 99.46% | | 99% | n/a | n/a | | |
| NHS Health Check Assessments To reduce early mortality and improve quality of life for individuals with Long Term Conditions (LTC) County & Bassetlaw GP's | Medium High | 2.22 | No. of eligible patients who have been offered health checks | 8539 | ↔ 8539 | ↓ 8310 | | 25388 | 51,497 | 49% | | |
| | | | No. of patients offered who have received health checks | 5299 | ↔ 5292 | ↓ 4738 | | 15329 | 33,988 | 45% | Submitted to PHE - 7583(53%), practices late in uploading data | |
| | | | No. of patients who have been identified as high risk and referred to other services as a result of a health check | 291 | ↔ 250 | ↓ 148 | | 689 | n/a | n/a | No target as there is no 'good' or 'bad' direction | |
| Doncaster and Bassetlaw Hospitals | | | | | | | | | | | | |
| | High | 2.04, 3.02, 3.04 | Total number of filled appointments | 2431 | ↔ 2426 | ↔ 2431 | | 7288 | Baseline | n/a | | |
| | | | Total number patients who receive full sexual health screen | 527 | ↑ 622 | ↓ 489 | | 1638 | TBA | n/a | | |
| | | | Number and % new service users accepting a HIV test | 613 (30%) | ↓ 498 (44%) | ↓ 386 (49%) | | 41% | 60% | 68% | | |
| | | | % 15-24 year olds in contact with the service accepting a chlamydia screen | 68% | ↑ 77% | ↔ 80% | | 75% | 75% | 100% | | |
| | | | Number and % screens with a positive Chlamydia result | 88 (9%) | ↔ 79 (8%) | ↓ 65 (7.4%) | | 8% | 7.50% | 108% | | |
| | | | % of women aged 15-24 receiving contraception who accept LARC | 42% | ↔ 44% | ↔ 44% | | 43% | 30% | 144% | | |
| | | | Number of women accessing Emergency Hormonal Contraception accept LARC | 25 | ↑ 43 | ↓ 70 | | 138 | Baseline | n/a | | |

| | | | | | | | | | | | | |
|---|--------------------------------|---|--|------------|--------------|---------------|------|----------|----------------------|------|--------------------------------------|--|
| Integrated Sexual Health Services Promotion of the prevention of Sexually Transmitted Infections including HIV Increased knowledge and awareness of all methods of contraception amongst all groups in the local population | Sherwood Forest Hospital Trust | | | | | | | | | | | |
| | High | 2.04, 3.02, 3.04 | Total number of filled appointments | 5763 | 🔼 5964 | 🔽 5615 | | 17342 | Baseline | n/a | | |
| | | | Total number patients who receive full sexual health screen | 1344 | 🔼 1388 | 🔽 1292 | | 4024 | TBA | n/a | | |
| | | | Number and % new service users accepting a HIV test | 1363 (36%) | 🔼 1424 (30%) | 🔽 1318 (30%) | | 32% | 60% | 53% | | |
| | | | % 15-24 year olds in contact with the service accepting a chlamydia screen | 56% | 🔽 44% | 🔼 44% | | 48% | 75% | 64% | | |
| | | | Number and % screens with a positive Chlamydia result | 355 (18%) | 🔽 251 (12%) | 🔼 242 (12.6%) | | 14% | 7.50% | 189% | | |
| | | | % of women aged 15-24 receiving contraception who accept LARC | 49% | 🔼 47% | 🔼 45% | | 47% | 30% | 157% | | |
| | | | Number of women accessing Emergency Hormonal Contraception accept LARC | 29 | 🔼 45 | 🔼 53 | | 127 | Baseline | n/a | | |
| | Nottingham University Hospital | | | | | | | | | | | |
| | High | 2.04, 3.02, 3.04 | Total number of filled appointments | 3043 | 🔼 7653 | 🔼 8516 | | 19212 | Baseline | n/a | | |
| | | | Total number patients who receive full sexual health screen | 1089 | 🔼 1312 | 🔼 1314 | | 3715 | TBA | n/a | | |
| | | | Number and % new service users accepting a HIV test | 1272 (74%) | 🔼 1352 (76%) | 🔼 1395 (82%) | | 77% | 60% | 129% | | |
| | | | % 15-24 year olds in contact with the service accepting a chlamydia screen | 55% | 🔼 58% | 🔼 64% | | 59% | 75% | 79% | | |
| | | | Number and % screens with a positive Chlamydia result | 11 (12%) | 🔽 6 (6%) | 🔼 25 (12%) | | 10% | 7.50% | 133% | | |
| % of women aged 15-24 receiving contraception who accept LARC | | | 33% | 🔼 34% | 🔼 40% | | 36% | 30% | 119% | | | |
| Number of women accessing Emergency Hormonal Contraception accept LARC | | | 55 | 🔼 81 | 🔽 76 | | 212 | Baseline | n/a | | | |
| Community Pharmacies - Nottinghamshire County & Bassetlaw LCPHS - Emergency Hormonal Contraception (EHC) | | | | | | | | | | | | |
| Medium | 2.04, 3.02, 3.04 | Number of women under the age of 20 accessing EHC from Community Pharmacies within the county | 63 | 🔼 97 | 🔼 210 | | 370 | n/a | n/a | | | |
| GP's - Nottinghamshire County & Bassetlaw LCPHS - Sub Dermal Implants/Long Acting Reversible Contraception (LARC) | | | | | | | | | | | | |
| Medium High | 2.04, 3.02, 3.04 | Total number of LARC insertions | 1014 | 🔽 768 | 🔼 826 | | 2608 | n/a | n/a | | | |
| Alcohol and Drug Misuse Services Reduction in Alcohol related admissions to hospital Reduction in mortality from liver disease Successful completion of drug treatment Change Grow Live | High | 1.05, 1.03, 1.15, 1.04, 2.18, 1.13 | Number of successful exits (ie planned) | 285 | 🔽 242 | 🔼 242 | | 769 | April-Dec Target 642 | 120% | Targets set quarterly | |
| | | | Number of new treatment journeys | 1456 | 🔼 1647 | 🔼 1619 | | 4722 | n/a | n/a | | |
| | | | Number of unplanned exits | 144 | 🔼 167 | 🔼 234 | | 545 | n/a | n/a | | |
| | | | Total number of service users | 4345 | 🔼 4389 | 🔼 4361 | | 13095 | 10301 | 127% | 50% 9954 year 2 50% 10,647 year 3 | |

| | | | | | | | | | | | | |
|--|--|------------------------------------|---|------------------------|--------|--------|-------|-------|-------------|------|---|--|
| Tobacco Control and Smoking Cessation Reduce adult (aged 18 or over) smoking prevalence Behaviour change and social attitudes towards smoking Prevalence rate of 18.5% by the end of 2015/16 Solutions4Health | Four-week smoking quitter rate | | | | | | | | | | | |
| | High | 2.9, 2.3, 2.14 | Pregnant Smokers | 31 | ↗ 32 | ↓ 11 | | 74 | 500 | 15% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Routine and Manual Workers | 150 | ↗ 292 | ↓ 186 | | 628 | 1500 | 42% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Under 18 Smokers | 17 | ↗ 28 | ↗ 33 | | 78 | 200 | 39% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Other Smokers | 389 | ↗ 710 | ↓ 404 | | 1503 | 2800 | 54% | | <div><div></div><div></div><div></div><div></div></div> |
| Obesity Prevention and Weight Management (OPWM) To achieve a downward trend in the level of excess weight in adults by 2020 A sustained downward trend in the level of excess weight in children by 2020 Utilisation of green space for exercise/health reasons Everyone Health | High | 1.16, 2.06, 2.11, 2.12, 2.13 | Adults - Tier 2 | 134 | ↓ 68 | ↔ 65 | | 267 | 258 | 103% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Adults - Tier 3 | 222 | ↓ 133 | ↓ 117 | | 472 | 400 | 118% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Children & Young People - Tier 2 | 17 | ↗ 28 | ↓ 10 | | 55 | 108 | 51% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Children & Young People - Tier 3 | 15 | ↔ 14 | ↗ 20 | | 49 | 98 | 50% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Maternity | 5 | ↗ 8 | ↗ 10 | | 23 | 104 | 22% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Post-bariatric reviews | 5 | ↗ 13 | ↗ 18 | | 36 | 60 | 60% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Adults, Children & Young People combined service users | 1509 | ↗ 6704 | ↘ 2600 | | 10813 | 6,794 | 159% | | <div><div></div><div></div><div></div><div></div></div> |
| | Domestic Abuse Services Reduction in Violent crime Reduction in Domestic violence WAIS & NWA | Medium | 1.11 | No of adults supported | 572 | ↘ 392 | ↗ 504 | | 1468 | 2504 | 59% | Oct-Dec is quarter 1 for this service and they are performing well |
| No of children, young people & teenagers supported | | | | 114 | ↗ 136 | ↘ 119 | | 369 | 776 | 48% | <div><div></div><div></div><div></div><div></div></div> | |
| Seasonal Mortality Reduction in excess winter deaths Nottingham Energy Partnership - Healthy Housing | Medium | 4.15 | Number of people from the target groups given comprehensive energy efficiency advice and/or given help and advice to switch energy supplier or get on the cheapest tariff | 30 | ↗ 56 | ↗ 117 | | 203 | 288 | 70% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Number of individuals trained to deliver Brief Interventions i.e. number of people attending the training courses | 19 | ↗ 56 | ↓ 32 | | 107 | 185 | 58% | | <div><div></div><div></div><div></div><div></div></div> |
| Social Exclusion To improve outcomes for older people by reducing risk and health impacts of loneliness The Friary Drop-in Centre | Medium | 1.18 | Number of one-to-one specialist advice interviews undertaken | 2042 | ↓ 1447 | ↗ 1854 | | 5343 | n/a | n/a | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Number of emergency parcels provided | 1294 | ↓ 1091 | ↗ 1585 | | 3970 | Baseline Q1 | n/a | | <div><div></div><div></div><div></div><div></div></div> |
| Public Health Services for Children and Young People aged 0-19 | High | 1.01, 1.02, 2.02, 2.03, 2.05, 2.06 | % of mothers who receive a face to face antenatal contact | 73% | ↔ 76% | ↔ 79% | | 76% | 75% | 101% | | <div><div></div><div></div><div></div><div></div></div> |
| | | | Number of brief interventions offered by school nurses and delivered with children and young people by public health topic | 1830 | ↓ 562 | ↗ 955 | | 3347 | n/a | n/a | | <div><div></div><div></div><div></div><div></div></div> |
| | | | % of children who received a 2.5 year review | 88% | ↔ 88% | ↔ 87% | | 88% | 95% | 92% | | <div><div></div><div></div><div></div><div></div></div> |

| | | | | | | | | | | | | |
|--|--------|------------|--|------|--------|--------|--|------|-----|------|--|--|
| | | | % of under 18 years or low income mothers who qualify for Healthy Start that have received Healthy Start advice | 75% | ↓ 65% | ↗ 64% | | 68% | 75% | 91% | | |
| | | | % of family nurse partnership clients enrolled by 16th week of pregnancy | 64% | ↑ 100% | ↓ 83% | | 82% | 60% | 137% | | |
| Oral Health Promotion Services | Medium | 4.02 | % of service users surveyed who receive oral health advice/resources who report that it is very useful. | 93% | ↗ 92% | ↗ 95% | | 93% | 80% | 117% | | |
| | | | % of frontline staff trained who say they have gained knowledge and confidence in delivering oral health brief interventions. | 100% | ↗ 100% | ↗ 100% | | 100% | 80% | 125% | | |
| | | | % of parents/carers with a child aged 1 year who receive oral health brief advice. | 74% | ↓ 59% | ↑ 75% | | 69% | 75% | 92% | | |
| Suicide prevention and Mental Health Awareness Training Kaleidoscope | Medium | 2.23, 4.10 | Tiers 1 & 2 Population based suicide prevention awareness campaign in line with national suicide prevention & Mental health community workshops focusing on building resilience & preventing mental health problems using Five Ways to Wellbeing | 2 | ↑ 5 | ↗ 5 | | 12 | 16 | 75% | | |

PUBLIC HEALTH CONTRACT QUALITY & PERFORMANCE REPORT QUARTER THREE 2016/17

Note: this summary contains performance information on activities being supported with Public Health grant outside of the Public Health division.

| Service and Outcome | Public Health grant realignment allocation | Actual realignment expenditure 2015/16 | Performance Indicators | Q1 | Q2 | Q3 | Q4 | 2016/17 Total Achieved | Annual Target | % of target met | Notes | Trend |
|--|---|--|--|----------|------------|----------|----|------------------------|-----------------------------|-----------------|-------|--|
| Illicit Tobacco Prevention and Enforcement Reduce adult (aged 18 or over) smoking prevalence behaviour change and social attitudes towards smoking prevalence rate of 18.5% by the end of 2015/16 Trading Standards and Nottinghamshire Police | Medium High | 2.14 | Illicit Cigarettes seized | 242760 | ↗ 226620 | ↘ 7240 | | 476620 | Increase on 15/16 >575,045 | 42% | | <div><div></div><div></div><div></div></div> |
| | | | Estimated retail value: counterfeit seized products (Based on retail value of £9 cigs and £18 HRT) | £168,840 | ↘ £116,541 | ↘ £4,050 | | £289,431.00 | Increase on 15/16 >£296,091 | 98% | | <div><div></div><div></div><div></div></div> |
| Healthy Ageing Schemes Improve health related quality of life for older people | Handy Person's Adaptation Scheme (contribution) | | | | | | | | | | | |
| | Medium | 2.24, 4.14 | Number of adaptations undertaken | 850 | ↗ 958 | ↘ 898 | | 2706 | Maintain volume | Achieved | | <div><div></div><div></div><div></div></div> |
| | Stroke Association | | | | | | | | | | | |
| | Medium | 4.04 | Number of clients | 61 | ↗ 88 | ↗ 112 | | 261 | 320 | 82% | | <div><div></div><div></div><div></div></div> |
| | Older Person's Early Intervention Scheme (contribution) | | | | | | | | | | | |
| | Medium High | 4.13 | Age UK - Total number of Short term and Brief intervention units of support provided | 1323 | ↗ 3298 | ↗ 4325 | | 8946 | 7665 | 117% | | <div><div></div><div></div><div></div></div> |
| | | | Metropolitan - Total number of Short term and Brief intervention units of support provided | 2912 | ↗ 3096 | ↘ 2183 | | 8191 | 7374 | 111% | | <div><div></div><div></div><div></div></div> |
| | | | NCHA - Total number of Short term and Brief intervention units of support provided | 1491 | ↗ 1720 | ↘ 1197 | | 4408 | 3363 | 131% | | <div><div></div><div></div><div></div></div> |

| | Notts Help Yourself | | | | | | | | | | |
|--|---------------------|------------|--|----------|-------------|------------|--|--------|--------------------------------------|----------------------------|-------------------|
| | Medium | 4.03, 4.13 | Website hits (millions) | | | | | 0 | 1.5 | 0% | Reported annually |
| | | | % satisfaction in user surveys | | | | | n/a | n/a | n/a | Reported annually |
| Children's Centres To improve school readiness among children, contribute to targets around dental health, breastfeeding, healthy weight, smoking, hospital admissions for non-accidental injury | High | 2.05 | % of children under five registered with a children's centre | 95% | ↗ 96% | ↗ 96% | | 96% | 95% | 101% | |
| | | | Parents completing evidence based parenting programme | 1359 | ↓ 856 | ? | | 2215 | 2,000 | 111% | |
| | | | % of children achieving a good level of development at end of the Early Years Foundation Stage | 65% | ↗ 67% | ↗ 67% | | 67% | 69% | 97% | |
| Family Nurse Partnership Improve breastfeeding initiation rates and prevalence; contribute to outcomes around smoking status at time of delivery, birth weights, hospital admissions for non-accidental injury | Medium High | 2.02 | Percentage of clients enrolled by 16th week of pregnancy | 64% | ↑ 100% | ↓ 83% | | 82% | 60% | 137% | |
| | | | Percentage of mothers initiating breastfeeding | 44% | ↑ 61% | ↓ 55% | | 53% | 70% | 76% | |
| Young People's Sexual Health: C-Card scheme Reduce teenage conceptions | Low | 2.04 | Number of young people returning to use the scheme | 542 | ↑ 561 | ↓ 284 | | 1387 | 1700 | 81% | |
| | | | No of new sites established | 9 | ↓ 7 | ↓ 6 | | 22 | 20 | 110% | |
| Young People's Substance Misuse Services Successful completion of drug treatment. Reduce numbers of young people not in education, employment or training | Medium High | 2.15 | % of planned exits | 96% | ↗ 95% | ↗ 99% | | 97% | 80% | 121% | |
| Supporting People: Homelessness Support Reduction in statutory homelessness, impacts on alcohol related admissions to hospital | High | 1.15 | Total Number of Individual Service Users Receiving Support | 317 | ↗ 328 | ↓ 306 | | 951 | n/a | n/a | |
| | | | People moving on in a planned way | 68 | ↑ 89 | ↓ 54 | | 211 | 75% | 22% | |
| | | | Utilisation of accommodation | 99.8% | ↗ 100.4% | ↗ 101.9% | | 100.7% | n/a | n/a | |
| Mental Health Self reported wellbeing, Adults in contact with secondary mental health services who live in stable and appropriate accommodation CoProduction | Medium | 4.09 | % Improvement in mental health and wellbeing from entry and at 12 months (based on WEMWBS) - mean WEBWBS score | 50% | ↑ 80% | ↓ 51% | | 60% | increase over year | achieved | |
| | | | % of clients with improvement in WEMWBS scores | 50% | ↑ 80% | ↓ 64% | | 65% | increase over year | achieved | |
| | | | % of clients in stable accommodation | 100% | ↗ 100% | ↗ 100% | | 100% | increase over year | Achieved | |
| Reduction in statutory homelessness Adults in contact with mental health services who live in stable and appropriate accommodation Moving Forward | Medium | 1.15 | Number of clients entered the service by quarter | 134 | ↑ 142 | ↑ 207 | | 483 | n/a | n/a | |
| | | | Number and % of entry clients completing WEMWBS on entry in to the service | 78 (58%) | ↑ 100 (70%) | ↓ 96 (46%) | | 64% | Q1 40% Q2 60% Q3 75% Q4 80% | Q1 58% Q2 70% Q3 46% | |
| | | | Number of clients exited the service by quarter | 218 | ↓ 140 | ↑ 202 | | 560 | n/a | n/a | |

| Public Health Area | Complaints relating to Health Contracts | | | Summary of Serious Incidents (SI's) | | | Freedom of Information |
|--|---|--|--------------------------------------|-------------------------------------|--|--------------------------------|--|
| | No.of new Complaints in period | No.of Complaints under investigation in period | No.of Complaints concluded in period | No.of new SI's in period | No.of SI's under investigation in period | No.of SI's concluded in period | Freedom of Information Requests relating to Public Health Functions and Health Contracts |
| Alcohol and Drug Misuse Services | | | | 3 | 1 | | 3 |
| Pharmacy | | | | | | | |
| Mental Health | | | | | | | 1 |
| Information relating to management functions | | | | | | | |
| Sexual Health | | | | | | | |
| Cross Departmental | | | | | | | |
| Obesity Prevention | | | | | | | |
| NHS Health Checks | | | | | | | |
| Tobacco Control | | | | | | | |
| CYP | | | | | | 2 | |
| Domestic Abuse | | | | | | | 3 |

Public Health Outcomes Framework 2016–2019

At a glance

VISION

To improve and protect the nation's health and wellbeing and improve the health of the poorest fastest

Outcome measures

Outcome 1) Increased healthy life expectancy, i.e. taking account of the health quality as well as the length of life

Outcome 2) Reduced differences in life expectancy and healthy life expectancy between communities (through greater improvements in more disadvantaged communities)

Alignment across the Health and Care System

* Indicator shared with the NHS Outcomes Framework.

** Complementary to indicators in the NHS Outcomes Framework

† Indicator shared with the Adult Social Care Outcomes Framework

†† Complementary to indicators in the Adult Social Care Outcomes Framework

1 Improving the wider determinants of health

Objective

Improvements against wider factors which affect health and wellbeing and health inequalities

Indicators

- 1.01 Children in low income families
- 1.02 School readiness
- 1.03 Pupil absence
- 1.04 First time entrants to the youth justice system
- 1.05 16-18 year olds not in education, employment or training
- 1.06 Adults with a learning disability / in contact with secondary mental health services who live in stable and appropriate accommodation† (ASCOF 1G and 1H) ** (NHSOF 2.5ii)
- 1.07 Proportion of people in prison aged 18 or over who have a mental illness
- 1.08 Employment for those with long-term health conditions including adults with a learning disability or who are in contact with secondary mental health services * (i-NHSOF 2.2) †† (ii-ASCOF 1E) ** (iii-NHSOF 2.5i) †† (iii-ASCOF 1F)
- 1.09 Sickness absence rate
- 1.10 Killed and seriously injured casualties on England's roads
- 1.11 Domestic abuse
- 1.12 Violent crime (including sexual violence)
- 1.13 Levels of offending and re-offending
- 1.14 The percentage of the population affected by noise
- 1.15 Statutory homelessness
- 1.16 Utilisation of outdoor space for exercise / health reasons
- 1.17 Fuel poverty
- 1.18 Social isolation † (ASCOF 1f)

2 Health improvement

Objective

People are helped to live healthy lifestyles, make healthy choices and reduce health inequalities

Indicators

- 2.01 Low birth weight of term babies
- 2.02 Breastfeeding
- 2.03 Smoking status at time of delivery
- 2.04 Under 18 conceptions
- 2.05 Child development at 2 – 2 ½ years
- 2.06 Child excess weight in 4-5 and 10-11 year olds
- 2.07 Hospital admissions caused by unintentional and deliberate injuries for children and young people under 25
- 2.08 Emotional well-being of looked after children
- 2.09 Smoking prevalence – 15 year olds
- 2.10 Self-harm
- 2.11 Diet
- 2.12 Excess weight in adults
- 2.13 Proportion of physically active and inactive adults
- 2.14 Smoking prevalence – adults (over 18s)
- 2.15 Drug and alcohol treatment completion and drug misuse deaths
- 2.16 Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison
- 2.17 Estimated diagnosis rate for people with diabetes mellitus
- 2.18 Alcohol-related admissions to hospital
- 2.19 Cancer diagnosed at stage 1 and 2** (NHSOF 1.4v 1.4vi)
- 2.20 National Screening Programmes
- 2.22 Take up of the NHS Health Check programme – by those eligible
- 2.23 Self-reported well-being
- 2.24 Injuries due to falls in people aged 65 and over

3 Health protection

Objective

The population's health is protected from major incidents and other threats, whilst reducing health inequalities

Indicators

- 3.01 Fraction of mortality attributable to particulate air pollution
- 3.02 Chlamydia diagnoses (15-24 year olds)
- 3.03 Population vaccination coverage
- 3.04 People presenting with HIV at a late stage of infection
- 3.05 Treatment completion for TB
- 3.06 Public sector organisations with board approved sustainable development management plan
- 3.08 Antimicrobial Resistance

4 Healthcare public health and preventing premature mortality

Objective

Reduced numbers of people living with preventable ill health and people dying prematurely, whilst reducing the gap between communities

Indicators

- 4.01 Infant mortality* (NHSOF 1.6i)
- 4.02 Proportion of five year old children free from dental decay** (NHSOF 3.7i)
- 4.03 Mortality rate from causes considered preventable ** (NHSOF 1a)
- 4.04 Under 75 mortality rate from all cardiovascular diseases (including heart disease and stroke)* (NHSOF 1.1)
- 4.05 Under 75 mortality rate from cancer* (NHSOF 1.4)
- 4.06 Under 75 mortality rate from liver disease* (NHSOF 1.3)
- 4.07 Under 75 mortality rate from respiratory diseases* (NHSOF 1.2)
- 4.08 Mortality rate from a range of specified communicable diseases, including influenza
- 4.09 Excess under 75 mortality rate in adults with serious mental illness* (NHSOF 1.5j)
- 4.10 Suicide rate** (NHSOF 1.5iii)
- 4.11 Emergency readmissions within 30 days of discharge from hospital* (NHSOF 3b)
- 4.12 Preventable sight loss
- 4.13 Health-related quality of life for older people
- 4.14 Hip fractures in people aged 65 and over
- 4.15 Excess winter deaths
- 4.16 Estimated diagnosis rate for people with dementia * (NHSOF 2.6i)