RECOMMENDED PLANNING CONDITIONS FOR PLANNING APPLICATION 3/22/01788/CMA TO ALLOW FOR AMENDMENTS TO THE WORKING SCHEME AND RESTORATION PLAN, TO FACILITATE WORKING A SOUTHERN EXTENSION AT NESS FARM.

Scope of Planning Permission and Commencement

1. This planning permission provides consent for the completion of mineral extraction and the subsequent restoration of the Cromwell Quarry Southern Extension Site as identified in red on Drawing No. 1910/P3/CRMWLL/3B PROPSITE: Proposed Site Plan dated October 2019 and received by the MPA on 6th April 2020 previously granted planning permission under reference 3/19/02232/CMM, with minor modifications made to the original method of working/phasing plans to facilitate the development of a further southern extension at Ness Farm, Cromwell. This permission comes into effect on the date of commencement of planning permission 3/22/01790/CMA.

Reason: To define the extent of the permission and for the avoidance of doubt.

Schedule of approved plans

- 2. Unless otherwise required pursuant to conditions of this permission, the development hereby permitted shall be carried out in accordance with the submitted application, documents and recommendations of reports, and the following plans:
 - (a) Drawing No. 1910/P3/CRMWLL/1A LOC: Location Plan dated October 2019 and received by the MPA on 2nd December 2019.
 - (b) Drawing No. 1910/P3/CRMWLL/3B PROPSITE: Proposed Site Plan dated October 2019 and received by the MPA on 6th April 2020.
 - (c) Set of Drawings Numbered 22-07 CROM P3/1379/6D i-xi: 'Method of Working Phase 7/8'; 'Method of Working Phase 9a'; 'Method of Working Phase 9b'; 'Method of Working Phase 9c'; 'Method of Working Phase 11a (Ness)'; 'Method of Working Phase 11b (Ness)'; 'Method of Working Phase 9d'; 'Method of Working Phase 10'; 'Method of Working – Plant Site'; 'Method of Working Restoration of Plant Site'; 'Method of Working Restoration Complete' all dated 6th July 2022 and received by the MPA on 10th August 2022.
 - (d) Drawing No. 20-03 CROM P3/1379/DET REST 8C: Restoration Proposals dated 29 July 2022 (Update 13 Jan 2023) and received by the MPA on 17th January 2023.
 - Reason: For the avoidance of doubt as to the development that is permitted.

Duration of mineral extraction

- 3. All sand and gravel extraction operations within the southern extension area identified on Drawing No. 1910/P3/CRMWLL/1A LOC: Location Plan dated October 2019 and received by the MPA on 2nd December 2019 shall cease on 19th April 2023.
 - Reason To secure proper restoration of the site within an acceptable timescale and in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

Mineral processing and dispatch to the public highway

- 4. All Mineral extracted from the Cromwell southern extension area (as outlined in red on drawing no. 1910/P3/CRMWLL/1A: Location Plan received by the MPA on 2nd December 2019) shall only leave the site for processing and dispatch through the Cromwell Quarry plant site and any HGV traffic associated with this permission shall comply with the HGV routeing requirements of the S106 agreement relating to the quarry plant site permission. Mineral shall not be removed from the planning application site by any other means.
 - Reason: To ensure satisfactory operation controls and in the interests of highway safety in accordance with Policy DM9 of the Nottinghamshire Minerals Local Plan.

Phasing

- 5. Extraction operations shall progress sequentially in accordance with the set of drawings Numbered 22-07 CROM P3/1379/6D i-xi: 'Method of Working Phase 7/8'; 'Method of Working Phase 9a'; 'Method of Working Phase 9b'; 'Method of Working Phase 9c'; 'Method of Working Phase 11a (Ness)'; 'Method of Working Phase 11b (Ness)'; 'Method of Working Phase 9d'; 'Method of Working Phase 10'; 'Method of Working Plant Site'; 'Method of Working Restoration of Plant Site'; 'Method of Working Restoration Complete' all dated 6th July 2022 and received by the MPA on 10th August 2022.
 - Reason To ensure the phased extraction and restoration of the site in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 6. An annual topographical survey of the site shall be submitted to the MPA by 31st December each year until such time that restoration of the site is complete and the site is in aftercare. The topographical survey shall identify those parts of the site which are unworked, undergoing extraction, being restored and in aftercare and shall also identify the location of stored soils and overburden within the site.
 - Reason: To monitor the phased restoration of the site in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

Working Hours

7. Except in emergencies, which are to be notified to the MPA within 48 hours of their occurrence, or with the prior written agreement of the MPA, the following shall not take place except within the hours specified below:

	Mondays to Fridays	Saturdays	Sundays, Public and Bank Holidays
Mineral extraction, processing or treatment	7am to 7pm	7am to 1pm	Not at all
Stripping, replacement, regrading or ripping of soils or overburden	7am to 7pm	7am to 1pm	Not at all
Servicing, testing, or maintenance of plant or machinery	7am to 5pm	7am to 4pm	Not at all
Heavy goods vehicles entering and leaving the site	7am to 6pm	7am to 1pm	Not at all

Reason: To protect the amenities of local residents in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

Flood Protection and Hydrological Mitigation

- 8. The development shall be carried out in accordance with the submitted flood risk assessment (ref. JBA Consulting, BKS-JBAU-XX-00-RP-EN-0003-S3-P02-Cromwell_SE_FRA, March 2020) and the following mitigation measures it details:
 - The layout of the proposed bunds should be implemented as described in the Flood Risk Assessment.
 - The restoration phase should be implemented as described in the Flood Risk Assessment in strict accordance with the approved contours.
 - Reason: To prevent unacceptable impacts to water and flood flows and flood water storage capacity and to ensure compliance with Policy DM2 of the Nottinghamshire Minerals Local Plan.
- 9. The flood risk management / emergency evacuation plan for Cromwell Quarry and the Ness Farm extension dated 7th March 2023 shall be fully implemented throughout the operational life of the quarry.

Reason: To maintain acceptable flood evacuation from the site and to ensure compliance with Nottinghamshire Minerals Local Plan Policy DM2.

10. The hydrological mitigation measures set out within section 3.7 of Cromwell Southern Extension – Hydrogeological Impact Assessment (Ref: BKS-JBAU-XX-00-RP-EN-0001-A1-C01-Cromwell_SE_HIA.docx) shall be implemented in full throughout the operational life of the southern extension.

Reason: To ensure that the proposed development does not harm the water environment and to ensure compliance with Nottinghamshire Minerals Local Plan Policy DM2.

- 11. The approved scheme for monitoring groundwater levels received by the MPA on 5th November 2020 and approved under Condition 12 of Planning Permission 3/19/02232/CMM shall continue to be fully implemented and maintained in accordance arrangements embodied within the scheme during all periods when quarry dewatering within the southern extension is undertaken. Annual reports of the groundwater monitoring shall be submitted to the MPA in February each year.
 - Reason: To ensure that the proposed development does not harm the water environment and to ensure compliance with Nottinghamshire Minerals Local Plan Policy DM2.
- 12. Prior to the recommencement of any water pumping into the recharge trench on the western boundary of the southern extension, there shall be submitted to the MPA for its written approval a scheme to manage water levels within the recharge trench to ensure they do not overtop the trench and waterlog adjacent land. Following its approval, the scheme shall be implemented for the duration of the operational life of the recharge trench.
 - Reason: To ensure that the use of the recharge trench does not result in waterlogging of adjoining land, and to ensure compliance with Nottinghamshire Minerals Local Plan Policy DM2.
- 13. The approved scheme to treat and remove suspended solids from surface water run-off -off provided within the submission dated 1st June 2020 and approved under Condition 13 of Planning Permission 3/19/02232/CMM shall be fully implemented throughout the operational life of the quarry.
 - Reason: To ensure that the proposed development does not harm the water environment and to ensure compliance with Nottinghamshire Minerals Local Plan Policy DM2.
- 14. Any facilities, above ground, for the storage of oils, fuels or chemicals shall be sited on impervious bases and surrounded by impervious bund walls. The volume of the bunded compound should be at least equivalent to the capacity of the tank plus 10%. All filling points, vents, gauges and sight glasses must be located within the bund. The drainage system of the bund shall be sealed with no discharge to any watercourse, land or underground strata. Associated

pipework should be located above ground and protected from accidental damage. All filling points and tank overflow pipe outlets should be detailed to discharge downwards into the bund.

Reason: To ensure that the proposed development does not harm the water environment and to ensure compliance with Nottinghamshire Minerals Local Plan Policy DM2.

- 15. A minimum distance shall be maintained of 50m from the top bank of the River Trent to the face of the mineral extraction and 25m from the drain running South – North through the application site to the face of the mineral extraction. The stand-off distances shall be marked out on site with wooden posts or similar which shall be retained throughout the operational and restoration phases of the quarry development
 - Reason: To minimise risks of a potential breach of the River Trent and the watercourse to ensure compliance with Policy DM2 of the Nottinghamshire Minerals Local Plan.

Archaeological Investigation

- 16. The development shall be carried out in accordance with the written scheme of archaeological investigation set out within the submission: NESS FARM EXTENSION, CROMWELL QUARRY, CROMWELL: ARCHAEOLOGICAL WSI dated 21st March 2023. A report documenting the results of the archaeological investigation shall be submitted to the MPA for approval in writing within 12 months of the completion of the archaeological investigation within any phase of quarry. The planning condition will not be discharged until the final report on the archaeological work has been approved by the MPA.
 - Reason To ensure that that adequate archaeological investigation and recording is undertaken prior to mineral extraction taking place, in accordance with Policy DM6 of the Nottinghamshire Minerals Local Plan.
- 17. Any archaeologist nominated by the MPA shall be afforded access to the site at all reasonable times and be allowed to observe operations on site and record items of interest and finds.
 - Reason: In the interests of archaeology and in accordance with Policy DM6 of the Nottinghamshire Minerals Local Plan.

Footpath Crossing Point

18. The footpath protection scheme detailed on Drawing No. 20-08/P3/CRMWLL/12A: Footpath Plan, previously approved by the MPA on 2nd December 2020 pursuant to Condition 18 of Planning Permission shall be maintained throughout the operational life of the quarry and its associated restoration period to ensure that public access is maintained along Cromwell Footpath FP5 at all times.

Reason: To maintain public access along Cromwell Footpath FP5 throughout the operational life of the quarry, in accordance with Policy DM7 of the Nottinghamshire Minerals Local Plan.

<u>Noise</u>

19. The noise level attributable to normal operations at the site shall not exceed 55dB LAeq,1hr when measured free-field at any local residential receptor.

Reason: To protect the amenities of local residents in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

20. Timings of temporary works shall be recorded by the operator and must not exceed 8 weeks in a calendar year and the free-field noise level shall not exceed 70dB LAeq,1hr when measured at any local residential receptor.

Reason: To protect the amenities of local residents in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

21. All plant and machinery on site shall be regularly serviced and maintained to ensure that noise emissions do not exceed the manufacturers' specifications. In the event that the manufacturers' maximum operating noise levels are exceeded then the machinery shall be switched off and repaired/adjusted so as to ensure compliance with these operating noise levels.

Reason: To protect the amenities of local residents in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

22. All plant and vehicles under the control of the operator must only employ white noise (broadband) reversing alarms when operating on the site.

Reason: To protect the amenities of local residents in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

- 23. Prior to the commencement of mineral extraction within Phase 9c, The 3m high perimeter bund shall be maintained around the perimeter for the duration of all mineral extraction in this phase, as detailed on Drawing No. 20-03 CROM P3/1379/6A(iv): Method of Working (9c) to provide acoustic screening of Cromwell Lock Cottage. The perimeter bund shall thereafter be retained throughout the duration of mineral extraction works within Phase 9c.
 - Reason: To provide acoustic screening of Cromwell Lock Cottage and protect the amenity of local residents in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

<u>Dust</u>

- 24. Measures shall be taken to minimise the generation of dust from operations at the site. These shall include, but not necessarily be limited to any or all of the following steps as appropriate:
 - a. The use of water bowsers to dampen haul roads, stock-piles and other operational areas of the site;
 - b. The sweeping of access and haul roads, where necessary;
 - c. The minimisation of drop heights during loading and unloading of sand and gravel;
 - d. Limiting on-site vehicle speeds;
 - e. Upon request of the MPA, the temporary suspension of mineral processing, mineral extraction or soil movements during periods of unfavourably dry or windy weather conditions.
 - Reason: To ensure that dust impacts associated with the operation of the development are minimised, in accordance with the requirements of Policy DM1 of the Nottinghamshire Minerals Local Plan.

Ecological Mitigation

25. The Construction Method Statement to mitigation potential adverse ecological effects of the developments, prepared by Bowland Ecology dated May 2020 and approved under the requirements of Condition 25 of Planning Permission 3/19/02232/CMM shall be carried out in full accordance with the approved scheme throughout the construction period.

Reason: In the interest of protecting species and their habitats and in accordance with Policy DM4 of the Nottinghamshire Minerals Local Plan.

- 26. The retained boundary hedgerows around the perimeter of the southern extension site shall not be cut or pruned for the duration of the mineral extraction and the 12-month period of restoration following the completion of minerals extraction, without the prior written agreement of the MPA.
 - Reason: To protect the integrity of the boundaries of the site and maximise their ecological value in respect of their bat foraging and bird nesting habitat value in accordance with Policy DM4 of the Nottinghamshire Minerals Local Plan.
- 27. Site clearance operations that involve the destruction and removal of vegetation, including felling, clearing or removal of trees, shrubs, hedgerows and the stripping of herbaceous vegetation, grass and crops shall not be undertaken during the months of March to August inclusive, except when approved in writing by the MPA and in such circumstances following the carrying out and

submission in writing to the MPA for approval in writing of a bird nesting survey report undertaken by an appropriately qualified person.

Reason: To ensure that breeding birds are not adversely affected by the development in accordance with Policy DM4 of the Nottinghamshire Minerals Local Plan.

- 28. Quarry workings shall be carried out in compliance with the scheme for the provision and management of a buffer zone alongside the TVIDB watercourse to ensure the protection and enhancement of otter habitat, as set out in the Cemex submission dated 1st June 2020 and formally approved under the requirements of Condition 29 of Planning Permission 3/19/02232/CMM.
 - Reason: To ensure that otters are not adversely affected by the development in accordance with Policy DM4 of the Nottinghamshire Minerals Local Plan.

Stockpile Heights

- 29. Stockpiles of any excavated materials shall not be permitted to exceed 5m in height.
 - Reason: In the interest of visual amenity and to ensure compliance Policy DM1 of Nottinghamshire Minerals Local Plan.

Floodlighting

- 30. No floodlighting or security lighting shall be used on site except in accordance with details previously submitted to, and approved in writing by, the MPA.
 - Reason: To minimise the visual intrusion of the development in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

Ancillary Buildings and Plant

- 31. Unless specifically provided for under Part 17 of the Town and Country Planning (General Permitted Development) (England) Order 2015 (or any Order amending, replacing or re-enacting that Order), the design, siting, layout and the colours to be used on the external elevations of all fixed plant machinery, and buildings, structures, erections, or private ways shall be submitted to and approved in writing by the MPA prior to their erection/installation. The development shall thereafter be carried out in accordance with the approved details and maintained in a satisfactory condition until it is removed upon cessation of mineral extraction.
 - Reason: To minimise any visual impact from the development in accordance with Policy DM1 of the Nottinghamshire Minerals Local Plan.

Soil Stripping

32. The MPA shall be notified in writing at least 5 working days before soil stripping is due to commence on any phase, or part phase in the event that a phase is not stripped in its entirety in one stripping campaign.

Reason: To ensure satisfactory restoration of the site, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

33. No turf, topsoil, subsoil or overburden shall be removed from the Cromwell Quarry site. No waste materials including soils and mineral working wastes shall be brought onto the Cromwell Quarry site.

Reason: To ensure satisfactory restoration of the site, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

34. All soil handing shall be carried out in accordance with the Ministry of Agriculture, Fisheries and Food 'Good Practice Guidance for Handling Soil' (2000) and the DEFRA 'Construction Code of Practice for the Sustainable Use of Soils on Construction Sites (2009).

Reason: To ensure proper restoration, conserving and managing all available soil resources, and in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

- 35. A detailed soil-handling scheme for each phase of the development shall be submitted in writing to the MPA at least one month prior to the stripping of any soil from each phase of the site. Such a scheme shall include the following details:
 - The size, location, volume, depth and composition of soil to be stripped;
 - Details of where the soils will be placed either for direct placement as part of phased restoration operations, or their storage within mounds;
 - The types of machinery to be used;
 - The routes to be taken by plant and machinery involved in soil handling operations;
 - The depths of subsoil and topsoil to be replaced;
 - The spacing and depth of any post-replacement soil ripping and cultivations.

The development of that phase shall thereafter be carried out in accordance with the approved scheme.

Reason: To ensure satisfactory restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

36. No plant or vehicles shall cross any area of unstripped topsoil or subsoil except where such trafficking is essential and unavoidable for purposes of undertaking permitted operations. Essential trafficking routes shall be marked in such a manner as to give effect to this condition. No part of the site shall be excavated or traversed or used for a road until all available topsoil and subsoil to a minimum depth of 1000mm has been stripped from that part.

- Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 37. Soil stripping shall not commence until any standing crop or vegetation has been cut and removed from the area to be stripped.

Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

- 38. Topsoil, subsoil, and soil making material shall only be stripped when it is in a dry and friable condition and movements of soils shall only occur:
 - when all soil above a depth of 300mm is in a suitable condition that it is not subject to smearing;
 - when topsoil is sufficiently dry that it can be separated from subsoil without difficulty.

Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

- 39. All storage mounds that will remain in situ for more than 6 months, or over winter, shall be seeded with a suitable mix to benefit farmland birds within 3 weeks of their construction in accordance with a seed mixture which has been agreed in writing by the MPA. The mounds shall thereafter be maintained free of weeds until used for restoration purposes.
 - Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 40. Details of the volumes and location of soils stored on the site shall be submitted to the MPA by 31 December each year.
 - Reason: To monitor the restoration of the site and to ensure all available soil resources are conserved or managed, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

Soil Replacement

41. The MPA shall be notified in writing at least 5 working days before each of the following:

- overburden has been prepared ready for soil replacement to allow inspection of the area before further restoration of this part is carried out, and
- when subsoil has been prepared ready for topsoil replacement to allow inspection of the area before further restoration of this part is carried out, and
- on completion of topsoil replacement to allow an opportunity to inspect the completed works before the commencement of any cultivation and seeding operation.

Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

- 42. Subsoils shall only be replaced on those parts of the site which are restored above water level when the ground on which they are to be placed is in a dry and friable condition and no movements, re-spreading, levelling, ripping or loosening of subsoil or topsoil shall occur when it is raining, or when there are pools of water on the surface of the storage mound or receiving area.
 - Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 43. Plant and vehicles shall not cross any area of replaced and loosened ground, replaced subsoil, or topsoil except where essential and unavoidable for purposes of carrying out ripping and stone picking or beneficially treating such areas. Only low ground pressure machines shall work on prepared ground.
 - Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Replacement Minerals Local Plan.
- 44. Within the area to be restored for agricultural after-use, each subsoil layer shall be cross-ripped to provide loosening to a minimum depth of 450mm with tine spacings no wider than 1.5m and any rock, boulder or larger stone greater than 200mm in any dimension shall be removed from the loosened surface before further soil is laid. Materials that are removed shall be disposed of off-site or buried at a depth not less than 2 metres below the final contours.
 - Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 45. Topsoil shall be evenly re-spread on the land above lake water level (dry land) to achieve at least a minimum of 300mm settled depth.

- Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 46. The re-spread topsoil on dry land above lake water level shall be rendered suitable for agricultural cultivation by loosening:
 - a. to provide loosening equivalent to a single pass at a tine spacing of 1.5 metres or closer;
 - b. to full depth of the topsoil plus 100mm;
 - c. and any non-soil making material or rock or boulder or larger stone lying on the loosened topsoil surface and greater than 100mm in any dimension shall be removed from the site or buried at a depth not less than 2 metres below the final settled contours.
 - Reason: To ensure proper restoration of the site, conserving and managing all available soil resources, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.
- 47. The operator shall take all reasonable precautions to prevent the mixing of topsoil, subsoil and overburden.
 - Reason: To ensure proper restoration, conserving and managing all available soil resources, and in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

Restoration

48. The phased restoration plan and landscaping scheme for the total application site shall be carried out in accordance with Drawing No. 20-03 CROM P3/1379/DET REST 8C: Restoration Proposals dated 29 July 2022 (Update 13 Jan 2023) and received by the MPA on 17th January 2023. The implementation of the restoration and landscaping scheme shall be carried out progressively in general compliance with the timetable shown on Drawing numbers 22-07 P3/1379/6D i-xi: Method of working. The backfilled material shall be levelled and graded in accordance with the restoration contours with opportunities taken where practicable to create a cluster of small ponds to provide additional amphibian breeding habitat. In the event that the balance of materials results in a surplus of restoration materials, this material shall be used to create more shallow areas within the lakes below water level, in accordance with details which shall be submitted to, and approved in writing by the MPA.

Reason: To ensure proper restoration and in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

49. At the completion of each phase of restoration the operator shall meet on site with representatives of the MPA, and other parties with an interest in the land. The purpose of the meeting shall be to agree that the replacement material

conforms generally with the landform and levels as set out in the agreed restoration plan.

Reason: To ensure proper restoration and in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

<u>Aftercare</u>

50. Following restoration the land restored to agriculture shall undergo aftercare management of a five year period. The area of land within Phase 9a to the east of the drainline (as identified on the restoration plan) shall undergo aftercare management for a ten-year period as required by the S106 agreement relating to the quarry plant site permission (reference 3/22/01787/CMA). All other parts of the site shall undergo aftercare management for a 15-year period.

Reason: To provide for aftercare of the restored site, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

51. Prior to any area being entered into aftercare the extent of the area and its date of entry into aftercare shall be agreed in writing with the MPA, the aftercare period shall run from the agreed date.

Reason: To provide for aftercare of the restored site, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

52. Aftercare of the site shall be carried out in compliance with the approved aftercare scheme and strategy for the Southern Extension at Cromwell Quarry, prepared by Cemex dated September 2021 and previously consented by the MPA under Condition 53 of Planning Permission 3/19/02232/CMM. As part of the aftercare management for the site, an annual site management meeting shall be held with the MPA between March and May each year to review the performance of the approved aftercare operations and agree the scope of the aftercare management arrangements for the following year.

Reason: To provide for aftercare of the restored site, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

Cessation of Workings

53. Should, for any reason the winning and working of minerals from the application site cease for a period in excess of 6 months which in the reasonable opinion of the MPA constitutes a permanent cessation of mineral extraction, then within three months of the receipt of a written request from the MPA, a revised scheme for the restoration of the site shall be submitted to the MPA. Such a scheme shall include a schedule of timings, final contours, provision of soiling, sowing of grass, planting of trees and shrubs, drainage and fencing in a similar manner to that submitted with the application and modified by these conditions. The revised restoration scheme shall be implemented within 12 months of its

approval by the MPA, and shall be subject to the aftercare provisions of Conditions 50-52 above.

Reason: To achieve a satisfactory restoration of the site in the event of premature closure of the site, in accordance with Policy DM12 of the Nottinghamshire Minerals Local Plan.

Informatives/notes to applicants

- 1. Western Power Distribution advise that there is 11kV network pylons currently running through the site which will need to have a diversion prior to extraction. the restoration scheme incorporating ponds are likely to be attractive to birds which can cause damage to power lines. Western Power therefore favour the use of underground cables within any power cable diversion scheme which may be carried out.
- 2. The consent of Severn Trent Water will be required for either a direct or indirect connection to the public sewerage system under the provisions of Section 106 of the Water Industries Act 1991. Current guidance notes and an application form can be found at <u>www.stwater.co.uk</u> or by contacting Severn Trent Water New Connections Team (01332 683369). Although statutory sewer records do not show any public sewers within the site there may be sewers which have recently been adopted under the Transfer of Sewer Regulations. Public sewers have statutory protection and may not be built close to, directly over or be diverted without consent and it is advised that Severn Trent Water should be contacted (0247 771 6843).
- 3. The potential of providing a connection from the site to the River Trent to allow fish and eels to access the restoration area for the purposes of refuge and breeding grounds should be investigated as part of the aftercare of the site.
- 4. The applicant is encouraged to work with NCC Heritage Team to assist with the maintenance and repair of the clapper gates situated to the north of the planning application site on the riverside embankment.