
PUBLIC HEALTH CONTRACT QUALITY & PERFORMANCE REPORT QUARTER FOUR 2016/17





Less than or equal to £19,999	9	Low	J									ğarakın old ishtu
Service, Provider and Outcome	Contract Value Category	Public Health Outcomes Indicator	Performance Indicators	Q1	Q2	Q3	Q4	2016/17 Total Achieved	Annual Target	% of target met	Notes Trend	Indicator Period Count Value Value Value Worst/ Range Worst/ Region Re
NHS Health Check Assessments			No. of eligible patients who have been offered health checks	8539	♦ 8539	♣ 8310	1 9022	34410	51,497	67%	1111	Reception: Prevalence of overweight (including obese) 2014/15 1,775 20.7% 21.7 21.9 27.4%
To reduce early mortality and improve quality of life for individuals with Long Term Conditions (LTC)	Medium High	2.22	No. of patients offered who have received health checks	5299	⇔ 5292	4738	1 5021	20350	33,988	60%	1111	2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check who received an NHS Health Check
County & Bassetlaw GP's			No. of patients who have been identified as high risk and referred to other services as a result of a health check	291	⇒ 250	4 148	1 215	904	n/a	n/a	No target as there is no 'good' or 'bad' direction	2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS
	Doncaster and	d Bassetlaw Ho	espitals									
			Total number of filled appointments	2431	⇒ 2426	⇔ 2431	4 2198	9486	Baseline	n/a	1111	Word/Lowest 25th Percentile Notts Region England England
			Total number patients who receive full sexual health screen	527	1 622	489	1 505	2143	TBA	n/a	1111	Indicator Period Count Value Value Value Worst/ Lowest Range
			Number and % new service users accepting a HIV test	613 (30%)	↓ 498 (44%)	386 (49%)	147 (48%)	43%	60%	71%		Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female) 2015 947 2,113 2470 2492 1,414 Chlamydia detection rate / 100,000 aged 15-24 2015 462 978 1216 1276 0
	High	2.04, 3.02, 3.04	% 15-24 year olds in contact with the service accepting a chlamydia screen	68%	1 77%	↔ 80%	+ 81%	76%	75%	102%	1111	Chlamydia detection rate / 100,000 aged 15-24 2015 462 978 1216 1276 0 Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)
			Number and % screens with a positive Chlamydia result	88 (9%)	→ 79 (8%)	♣ 65 (7.4%)	↑ 71 (8%)	8%	7.50%	108%	1111	HIV late diagnosis (%) (PHOF indicator 3.04) 2013 - 15 28 38.9% 51.2 40.3 4,205%
			% of women aged 15-24 receiving contraception who accept LARC	42%		→ 44%	⇔ 50%	45%	30%	150%		Under 16s conception rate / 1,000 (PHOF 2014 294 21.1 21.6 22.8 42.4 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4 4.4 4.4 11.9 Under 16s conception rate / 1,000 (PHOF 2014 60 4.6 4.4
			Number of women accessing Emergency Hormonal Contraception accept LARC	25	1 43	1 70	↓ 53	191	Baseline	n/a	1111	
	Sherwood For	rest Hospital Tr	ust									
			Total number of filled appointments	5763	♦ 5964	5615	1 6201	23543	Baseline	n/a	1111	
			Total number patients who receive full sexual health screen	1344	→ 1388	1 1292	1 514	5538	TBA	n/a	1111	
			Number and % new service users accepting a HIV test	1363 (36%)	1424 (30%)	1318 (30%)	↑ 1531 (114%)	53%	60%	88%	1111	
Interreted Cover Health Consises	High	2.04, 3.02, 3.04	% 15-24 year olds in contact with the service accepting a chlamydia screen	56%	4 4%		⇔ 45%	47%	75%	63%	1111	
Integrated Sexual Health Services Promotion of the prevention of Sexually Transmitted Infections including HIV			Number and % screens with a positive Chlamydia result	355 (18%)	₽ 251 (12%)		1 288 (12.9%)	14%	7.50%	185%		
Increased knowledge and awareness of all methods of contraception amongst all groups in the local population	s		% of women aged 15-24 receiving contraception who accept LARC	49%				46%	30%	154%	Inc	
			Number of women accessing Emergency Hormonal Contraception accept LARC	29	1 45	1 53	1 65	192	Baseline	n/a		
	Nottingham U	niversity Hospi	tal									Table 17: Women ¹ using Sexual and Reproductive Health Services, by Local Services in England, 2015/16
			Total number of filled appointments	3043	↑ 7653	1 8516	♣ 3973	23185	Baseline	n/a	.11.	
			Total number patients who receive full sexual health screen	1089	1312	→ 1314	1 1395	5110	TBA	n/a	1111	Percent with
			Number and % new service users accepting a HIV test	1272 (74%)			1 1456 (94%)	82%	60%	136%	1111	Digital rotal women depen
	High	2.04, 3.02, 3.04	% 15-24 year olds in contact with the service accepting a chlamydia screen	55%	♦ 58%	1 64%	⇔ 67%	61%	75%	81%	1111	Region & Local Authority of residence method in use) Total
			Number and % screens with a positive Chlamydia result	11 (12%)	♣ 6 (6%)	1 25 (12%)		10%	7.50%	127%		Total 7 905.8 38
I	1	I		, .,	, ,	,	, ,		<u> </u>			- E12000001 NUILII East 54.5 44



		No	tte	Region	England		England	
Indicator	Period	NO	us	Region	Ellylana		Liigiuiiu	
muicator	Penou	Count	Value	Value	Value	Worst/ Lowest	Range	Best/ Highest
eception: Prevalence of overweight cluding obese)	2014/15	1,775	20.7%	21.7	21.9	27.4%		14.9%
22iii - Cumulative percentage of the eligible pulation aged 40-74 offered an NHS Health neck	2013/14 - 15/16	113,526	40.7%	54.4	56.4	17.0%	•	100%
22iv - Cumulative percentage of the eligible pulation aged 40-74 offered an NHS Health heck who received an NHS Health Check	2013/14 - 15/16	62,763	55.3%	53.8	48.6	19.7%		100.0%
22v - Cumulative percentage of the eligible opulation aged 40-74 who received an NHS ealth check	2013/14 - 15/16	62,763	22.5%	29.3	27.4	11.0%	•	55.7%
					we	rst/Lowest	Benchmark Value	75th Percentile Best/Jughe
		Notts		Region	England		England	
Indicator	Period							

4,205

0%

8.4

0.7

		Thousands	s / percentages	
NH:	<u> </u>		Percent with main Long acting	User
Digit		Total women (with a main method in use)	reversible Total	<u>dependent</u> Total
	Total ³	905.8	38	62
12000001	North East	54.3	44	56

•	1	1						in .						_					-
			% of women aged 15-24 receiving contraception who	33%	→ 34%	1 40%	↓ 34%	35%	30%	118%			10	E12000002 E12000003	North West Yorkshire and	the Humber	177.3 62.6	37 42	63 58
			accept LARC				******							E12000003	East Midlands		49.6	45	55
			Number of women accessing Emergency Hormonal	55	1 81	₽ 76	↔ 75	287	Baseline	n/a				E06000015	Derby		2.1	49	51
			Contraception accept LARC											E10000007 E06000016	Derbyshire Leicester		8.8 5.6	49 40	51 60
	Community Pl	mmunity Pharmacies - Nottinghamshire County & Bassetlaw LCPHS - Emergency Hormonal Contraception (EHC)												E10000018	Leicestershin	e ⁴	4.8	49	51
	Medium	2.04, 3.02,	Number of women under the age of 20 accessing EHC	62	A 07	1 218	A 227	615	2/0	2/0				E10000019	Lincolnshire		4.0	57	43
	wearum	3.04	from Community Pharmacies within the county	63	1 97	210	1 237	615	n/a	n/a				E10000021	Northampton	shire	4.7	41	59
	GP's - Notting	hamshire Cou	nty & Bassetlaw LCPHS - Sub Dermal Implants/Long Acti	ng Reversal	ole Contrace	otion (LARC)								E06000018 E10000024	Nottingham Nottinghamsl	hire	8.0 11.6	40 43	60 57
	2.04.3.02											E12000005	West Midland		84.9	36	64		
	Medium High	3.04	Total number of LARC insertions	1037	→ 1024	→ 1041	4 943	4045	n/a	n/a				E12000006	East of Engla	nd	64.9	39	61
			Niverbook of average field exists (i.e. planes d)	205	0.40	4) 040	4 000	000	April-Dec	4000/				E12000007 E12000008	London South East		189.2 116.1	35 37	65 63
Alashal and Duur Misusa Caminas			Number of successful exits (ie planned)	285	4 242	⇔ 242	⇔ 229	998	Target 642	120%				E12000009	South West		63.0	44	56
Alcohol and Drug Misuse Services Reduction in Alcohol related admissions to		1.05, 1.03,	Number of new treatment journeys	1456	1 647	⇔ 1619	1 931	6653	n/a	n/a		-					Worst/Lowest	Benchmark Value 25th Percentile 75th Perce	entile Best/reghest
hospital Reduction in mortality from liver disease	High	1.15,	Number of upplement exite	144	1 67	1 234	J 203	748	2/0	2/0			_			Notts Region		25th Percentile 75th Perce England	nine sest/regrest
Successful completion of drug treatment Change Grow Live		1.04,2.18, 1.1	Number of unplanned exits	144	107	1 234	♦ 203	740	n/a	n/a				Indicator	Perio	d Count Value Value	Value Worst/	Range	Best/
Change Grow Live			Total number of service users	4097	1 4234		₽ 3839	16277	10301	158%	50% 9954 year 2		4.0	2.15i - Successful completion of	of drug 2015	122 5.4% 6.7	6.7 2.5%		Highest 17.8%
			1000 00000		20.	,,	. 0000	.02		.0070	50% 10,647 year 3			treatment - opiate users 2.15ii - Successful completion				•	61.8%
	Four-week sm	okina auittor i	ata											 2.09iii - Smoking prevalence at occasional smokers (WAY surv 	/ey) 2014/1	15 - 2.1% 2.3	2.7 7.6%		0.6%
	rour-week Sir	loking quitter i	ate											Smoking Prevalence in adults smokers (APS)	2013	5 - 15.7% 18.0	16.9 26.8%	O	9.5%
Tobacco Control and Smoking Cessation														 Smoking Prevalence in adults manual occupations - current s 2.09ii - Smoking prevalence at 	mokers (APS)			Ò	15.8%
Reduce adult (aged 18 or over) smoking			Pregnant Smokers	31	→ 32	4 11	1 21	95	500	19%				smokers (WAY survey) 2.09i - Smoking prevalence at	2014/1			O I	1.3%
prevalence											+			smokers (WAY survey) 2.03 - Smoking status at time of	2014/1	1.170			3.4% 1.8%
Behaviour change and social attitudes towards smoking			Routine and Manual Workers	150	1 292	4 186	4 129	757	1500	50%				4.07ii - Under 75 mortality rate disease considered preventable	from respiratory 2012		18.1 45.9		7.5
Prevalence rate of 18.5% by the end of	High	2.9, 2.3, 2.14									+			4.07ii - Under 75 mortality rate disease considered preventable	from respiratory e (Male) 2013 -	15 185 17.0 19.7	20.3 51.0		8.0
2015/16 Solutions4Health			Under 18 Smokers	17	1 28	1 33	₽ 7	85	200	43%				4.07ii - Under 75 mortality rate disease considered preventable	e (Female)	15 168 14.7 15.3	16.1 41.7	D	7.9
											-			4.07i - Under 75 mortality rate disease (Female)	2013 -			Þ	14.3
			Other Smokers	389	1 710	404	₽ 287	1790	2800	64%			_			15 688 31.0 33.0 15 383 35.5 38.8		þ	16.5
														disease (Male)	2013 -	15 383 35.5 38.8	38.5 80.2		20.5
	Number of ne	w assessment	3															Benchmark Value	
		T			T												Worst/Lowest	25th Percentile 75th Percenti	tile Best/Highest
			Adults - Tier 2	134	4 68	♦ 65		331	258	128%						Notts Region		England	
														Indicator	Perio	Count Value Value	Value Worst/ Lowest	Range	Best/ Highest
Obesity Prevention and Weight			Adults - Tier 3	227	J 133	4 117	1 25	602	400	151%				2.12 - Excess weight in Adults	2013 -	15 - 67.6% 66.8	64.8 76.2%		46.5%
Management (OPWM)														1.16 - Utilisation of outdoor sp exercise/health reasons	ace for Mar 20 Feb 20		17.9 7.2%	Ö	70.3%
To achieve a downward trend in the level of excess weight in adults by 2020			Children & Young People - Tier 2	17	1 28	↓ 10	1 21	76	108	70%				2.11i - Proportion of the popula recommended '5-a-day' on a 'u		5 - 56.2% 52.7	52.3 36.5%		68.8%
A sustained downward trend in the level of		1.16, 2.06,												day' (adults) 2.11ii - Average number of por	tions of fruit 2015	5 255 240	2.51 1.80		2.93
excess weight in children by 2020 Utilisation of green space for exercise/health	High	2.11, 2.12,	Children & Young People - Tier 3	15	↔ 14	1 20	4 10	59	98	60%			1.	consumed daily (adults) 2.11iii - Average number of po	rtions of				
reasons		2.13												vegetables consumed daily (ad Percentage who eat 5 portions	dults)		2.27 1.70		3.00
Everyone Health			Maternity	5	1 8	1 0	↓ 3	26	104	25%				and veg per day 2.11v – Average number of po	2014/	15 - 51.6% 52.0		9	67.6%
														consumed daily at age 15 (WA 2.11vi – Average number of po	Y survey)	15 8,249 2.32 2.32	2.39 2.01		3.26
			Post-bariatric reviews	5	1 3	1 8	1 24	60	60	100%				vegetables consumed daily at		15 8,239 2.38 2.42	2.40 1.86	o o	2.92
												-		Survey)					
			Adults, Children & Young People combined service users	1509	1 6704	\$2600	1 5192	16005	6,794	236%			. 1						
						+.	<u> </u>												
Domestic Abuse Services Reduction in Violent crime			No of adults supported	572	4 392	1 504	4 72	1940	2504	77%									
Reduction in Violent crime	Medium	edium 1.11				_							_	1.11 - Domestic abuse	2014/1	15 - 20.7 20.0	20.4 5.5	Q	33.8
			No of children, young people & teenagers supported	114	1 136	4 119	1 145	514	776	66%									
L	1	1			1		1	1	1	1	1	<u> </u>							

Seasonal Mortality Reduction in excess winter deaths Nottingham Energy Partnership - Healthy	Medium	4.15	Number of people from the target groups given comprehensive energy efficiency advice and/or given help and advice to switch energy supplier or get on the cheapest tarrif	30	1 56	1 117	₽ 95	298	288	103%	(1)	4 15ii - Excess winter deaths index (single year, age 85+) (Persons) 4 15ii - Excess winter deaths index (single year, age 85+) (Persons) 4 15ii - Excess winter deaths index (single year, age 85+) (Persons) 3 2014 - Jul 2015 3 40 5 7.6 45.7 42.4 77.0 3 3.8
Housing			Number of individuals trained to deliver Brief Interventions i.e. number of people attending the training courses	19	1 56	♣ 32	1 49	156	185	84%	1111	4.15ii - Excess winter deaths index (single year, age 85+) (Male) Aug 2014 - 168 47.6 43.2 36.3 98.1 -5.7
Social Exclusion To improve outcomes for older people by	Medium	1.18	Number of one-to-one specialist advice interviews undertaken	2042	4 1447	1 1854	4 1785	7128	n/a	n/a	1.11	1.18i - Social Isolation: percentage of adult social care users who have as much social 2015/16 - 38.1% 43.4 45.4 35.8% 55.1%
reducing risk and health impacts of loneliness The Friary Drop-in Centre		1.10	Number of emergency parcels provided	1294	4 1091	1 1585	4 1475	5445	Baseline Q1	n/a	1111	contact as they would like
			% of mothers who receive a face to face antenatal contact	73%	→ 76%	⇔ 79%	46 %	69%	75%	91%	HH	1.01i - Children in low income families (all dependent children under 20) 2013 26,065 15.9% 17.0 18.0 35.5%
	High	1.01, 1.02, 2.02, 2.03, 2.05, 2.06	Number of brief interventions offered by school nurses and delivered with children and young people by public health topic	1830	5 62	1 955	⇔ 965	4312	n/a	n/a	Lin	1.01ii - Children in low income families (under 2013 23,325 16.8% 17.8 18.6 34.4% O 6.1% 1.02i - School Readiness: the percentage of
Public Health Services for Children and Young People aged 0-19			% of children who received a 2.5 year review	88%	♦ 88%	⇔ 87%	⇔ 89%	88%	95%	93%	11.1	children achieving a good level of development 2014/15 6,163 65.2% 64.0 66.3 50.7% 77.5% at the end of reception (Persons) 1.021 - School Readiness: the percentage of children with free school meal status achieving 2014/15 455 41.2% 47.8 51.2 37.8% 70.8%
			% of under 18 years or low income mothers who qualify for Healthy Start that have received Healthy Start advice	75%	4 65%	↔ 64%	4 9%	63%	75%	84%	1111	a good level of development at the end of reception (Persons) 2.05ii - Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child 2015/16 7,111 82.6% 87.2 81.3* - Insufficient number of values for a spine chart -
			% of family nurse partnership clients enrolled by 16th week of pregnancy	64%	1 00%	♣ 83%	4 65%	78%	60%	130%	illi	Programme or integrated review
			% of service users surveyed who receive oral health advice/resources who report that it is very useful.	93%	♦ 92%	♦ 95%	⇔ 97%	94%	80%	118%		
Oral Health Promotion Services	Medium	4.02	% of frontline staff trained who say they have gained knowledge and confidence in delivering oral health brief interventions.	100%	→ 100%	⇔ 100%	* 100%	100%	80%	125%		4.02 - Proportion of five year old children free 2014/15 1,116 79.0% 72.5 75.2 43.9%
			% of parents/carers with a child aged 1 year who receive oral health brief advice.	98%	4 77%	1 75%	⇔ 60%	78%	75%	103%	1000	
Suicide prevention and Mental Health Awareness Training Kaleidoscope	Medium	2.23, 4.10	Tiers 1& 2 Population based suicide prevention awareness campaigns in line with national suicide prevention & Mental health community workshops focusing on building reslience & preventing mental health problems using Five Ways to Wellbeing	4	⇔ 4	1 7	♣ 3	18	18	100%	nh	Hospital stays for soft-harm 2014/15 2.3 194.9 191.4 62.9

PUBLIC HEALTH CONTRACT QUALITY & PERFORMANCE REPORT QUARTER FOUR 2016/17

Note: this summary contains performance information on activities being supported with Public Health grant outside of the Public Health division.





Healthy Ageing Schemes Improve health related quality of life for older people			Age UK - Total number of Short term and Brief intervention units of support provided	2401	1 3495	1 4424	⇔ 4455	14775	10220	145%	all	
роорю	Medium High	4.13	Metropolitan - Total number of Short term and Brief intervention units of support provided	2912	1 3097	4 2257	4 1612	9878	9832	100%	Targets are 3 quarters	4.13 - Health related quality of life for older 2013/14 - 0.727 0.730 0.727 0.628 • 0.788
			NCHA - Total number of Short term and Brief intervention units of support provided	1398	♣ 1280	4 759	4 719	4156	4484	93%	Him	
	Notts Help Your	self										
	Medium	4.03, 4.13	Website hits (millions)				1.24	1.238648	1.5	83%	Reported annually	4.03 - Mortality rate from causes considered 2013 - 15 4.445 183.3 186.3 184.5 320.5
	Medium	4.03, 4.13	% satisfaction in user surveys				0.01%	n/a	n/a	n/a	Reported annually completed satisfation form	preventable (Persons) 2013-15 4,445 183.3 186.3 184.5 320.5 114.0
Children's Centres			% of children under five registered with a children's centre	95%	♦ 96%	♦ 96%	⇔ 96%	96%	95%	101%	1111	
To improve school readiness among children, contribute to targets around dental health, breastfeeding, healthy weight, smoking,	High	2.05	Parents completing evidence based parenting programme	1359	♣ 856	Data no longer collected	Data no longer collected	2215	2,000	111%	l i	2.05ii - Proportion of children aged 2-2½yrs offered ASQ-3 as part of the Healthy Child 2015/16 7,111 82.6% 87.2 81.3* - Insufficient number of values for a spine chart - Programme or integrated review
hospital admissions for non-accidental injury			% of children achievinig a good level of development at end of the Early Years Foundation Stage	65%	♦ 67%	⇔ 67%	⇔ 67%	67%	69%	96%	Reported annually in Q2	
Family Nurse Partnership Improve breastfeeding initiation rates and prevalence; contribute to outcomes around	Madium High	2.02	Percentage of clients enrolled by 16th week of pregnancy	64%	1 00%	♣ 83%	4 65%	78%	60%	130%	1100	
smoking status at time of delivery, birth weights, hospital admissions for non- accidental injury	Medium High	m High 2.02	Percentage of mothers initiating breastfeeding	44%	1 61%	♣ 55%	49 %	52%	70%	75%	(11)	2.02i - Breastfeeding - breastfeeding initiation 2014/15 5,690 69.0% 71.6 74.3 47.2% 100%
Young Peo+A12ple's Sexual Health: C- Card scheme	Low	2.04	Number of young people returning to use the scheme	542	1 561	† 791	♣ 604	2498	1700	81%	iili	Under 18s conception rate / 1,000 (PHOF 2014 294 21.1 21.6 22.8 42.4 O 8.4
Reduce teenage conceptions			No of new sites established	9	J 7	♣ 6	♣ 3	25	20	110%	Later.	
Young People's Substance Misuse Services Successful completion of drug treatment. Reduce numbers of young people not in education, employment or training	Medium High	2.15	% of planned exits	96%	⇔ 95%	⇔ 99%	⇔ 100%	98%	80%	122%	1111	1.011 - Children in low income families (all 2012 26.06. 47.0 49.0 26.76. 6.04. 12.15 - Successful completion of drug treatment - opiale users 2015 122 5.4% 6.7 6.7 19.0% 61.8% 61.8% 2.15ii - Successful completion of drug 2015 176 28.5% 35.8 37.3 2.5% 17.8% 17.8% 21.5ii - Successful completion of alcohol 2015 427 29.8% 35.4 38.4 16.8% 64.9% 17.8% 17.
		1.15	Total Number of Individual Service Users Receiving Support	317	⇒ 328	♣ 306	⇔ 327	1278	n/a	n/a	1111	1.04 - First time entrants to the youth justice 2015 254 358 358 369 822 system 127 system 127 worthovert 25th Percentile 12th
Supporting People: Homelessness Suppor Reduction in statutory homelessness, impacts on alcohol related admissions to hospital			People moving on in a planned way	68	1 89	♣ 54	1 74	285	75%	22%	Target is 75% of those moving on in a planned way	Indicator Period Count Value Value Value Worst/ Range Best/ Highest
			Utilisation of accommodation	99.8%	(100.4%	→ 101.9%	⇔ 101.40%	100.9%	n/a	n/a		1.131 - Statutory homelessness - Euiglinde 2015/16 101 0.3* 0.5* 0.9 35.0 -1.0 homeless people not in priority need 1.1511 - Statutory homelessness - households 2015/16 92 0.3* 0.4* 3.1 8.9 0.1
Mental Health			% Improvement in mental health and wellbeing from entry and at 12 months (based on WEMWBS) - mean WEBWBS score	50%	1 80%	♣ 51%	1 67%	62%	increase over year	achieved	chit	
Self reported wellbeing, Adults in contact with secondary mental health services who live in stable and appropriate accommodation		4.09	% of clients with improvement in WEMWBS scores	50%	1 80%	4 64%	⇔ 64%	65%	increase over year	achieved	chin	4.09ii - Proportion of adults in the population in contact with secondary mental health services 4.09i - 5.6 5.8 14.6% 2.4% 2.4% 2.4% 2.4% 2.4% 2.4% 2.4% 2.4
CoProduction			% of clients in stable accommodation	100%	→ 100%	→ 100%	⇔ 100%	100%	increase over year	Achieved		
			Number of clients entered the service by quarter	134	1 142	↑ 207	4 139	622	n/a	n/a		
Reduction in statutory homelessness			Number and % of entry clients completing WEMWBS on entry in to the service	78 (58%)	100 (70%)	96 (46%)	110 (79%)	63%	Q1 40% Q2 60% Q3 75% Q4 80%	Q1 58% Q2 70% Q3 46% Q4 79%	Hil	1.15i - Statutory homelessness - Eligible homeless people not in priority need 2015/16 101 0.3* 0.5* 0.9 35.0 -1.0 homeless people not in priority need 1.15ii - Statutory homelessness - households 2015/16 23 0.2* 0.4* 2.4 0.0
Adults in contact with mental health services who live in stable and appropriate accommodation	Medium	1.15	Number of clients exited the service by quarter	218	4 140	1 202	1 212	772	n/a	n/a	1.11	1.1-bil - Statutory nomelessness - nousenoids 2015/16 92 0.3* 0.4* 3.1 8.9 0.1 in temporary accommodation
Moving Forward			Number and % of entry clients completing WEMWBS on exit from the service	7 (3%)	⇔ 8 (6%)	1 35 (17%)		10.8%	Q1 40% Q2 60% Q3 75% Q4 80%	Q1 3% Q2 6% Q3 17% Q4 17%	11	
			On exit WEMWBS score had increased by 3 or more from entry	5	4	1 8	1 22	39	n/a	n/a	1	

					Freedom of		
	Complaint	s relating to Healt	h Contracts	Summar	Information		
Public Health Area	No of new	Complaints under	•	No.of new SI's in	investigation in	concluded in	Freedom of Information Requests relating to
Alcohol and Drug Misuse Services				3	2	1	1
Pharmacy							
Mental Health							
Information relating to management functions							
Sexual Health							1
Cross Departmental							
Obesity Prevention							1
NHS Health Checks							
Tobacco Control				2			
СҮР				1			1
Domestic Abuse							1

Complaints

None received, under investigation or concluded in period.

Serious Incidents

Due to the confidential nature of the Serious Incidents, further information is not shared in this report. These are managed by the Public Health Clinical Governance Panel.

Freedom of information act requests:

Information requests about commissioning – costs, type of contract, dates, plans for recommissioning (Substance misuse, sexual health, domestic abuse)
Information request about service performance – numbers of participants, outcomes (weight management service)
Information request about service delivery – numbers of staff commissioned (CYP 0-19 contract)