RECOMMENDED PLANNING CONDITIONS

Commencement

1. The development hereby permitted shall be begun within 3 years from the date of this permission.

Reason: To comply with the requirements of Section 91 (as amended) of the Town and Country Planning Act 1990.

2. The Waste Planning Authority (WPA) shall be notified in writing, at least 7 days, but not more than 14 days, of the date of commencement of the development hereby permitted.

Approved details

- 3. Except where amendments are made pursuant to the other conditions attached to the permission, the development hereby permitted shall be carried out in accordance with the following plans and documents:
 - (a) Planning application forms received by the WPA on 10 March 2015;
 - (b) Planning Statement received by the WPA on 10 March 2015;
 - (c) Ordnance Survey Site Plan received by the WPA on 10 March 2015;
 - (d) Drawing entitled 'Proposed Site Plan' received by the WPA on 10 December 2015;
 - (e) Drawing entitled 'Proposed elevation's Drawing modified for Central waste' received by the WPA on 24 August 2017;
 - (f) Noise Assessment Report received by the WPA on 10 March 2015;
 - (g) Additional information regarding noise received by the WPA on 17 December 2015;
 - (h) Document entitled 'Technical Note 1: HGV Movement and Site Access Arrangements' received by the WPA on 14 October 2015.

Reason: For the avoidance of doubt.

Hours of operation

Reason: To assist with the monitoring of the conditions attached to the planning permission and for the avoidance of doubt.

4. With the exception of HGV movements; in the case of an emergency when life, limb or property are in danger (with such instances being notified in writing to the WPA within 48 hours of their occurrence); or with the prior written approval of the WPA; operations associated with the development hereby permitted shall only take place during the following hours:

Monday to Friday 7am to 5.30pm

Saturday 7am to 1pm

There shall be no processing of inert waste on Saturdays.

There shall be no working at all on Sundays, Public or Bank Holidays

Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

5. Except in the case of an emergency when life, limb or property are in danger (with such instances being notified in writing to the WPA within 48 hours of their occurrence); or with the prior written approval of the WPA; HGVs movements associated with the site shall only take place during the following hours

Monday to Friday 06:00 and 17:30

Saturday 06:00 to 13:00

There shall be no HGV movements at all on Sundays, Public or Bank Holidays.

Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

- 6. Between the hours of 06:00 and 07:00 Monday to Saturday:
 - a) HGVs shall only exit the site;
 - b) Only the main site access (the northern-most access) shall be used;
 - c) The main site access gates shall be opened in a manner that minimises noise, ensuring they do not drag and are secured such that they cannot swing and generate any impact noise;
 - d) There shall be no loading of HGVs. Any HGVs departing fully loaded shall have been loaded the previous day;
 - e) Any departing HGVs shall have been parked north of the waste transfer building and in a direction facing the main site access.
 - Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

Throughput of waste at the site

7. Only non-hazardous commercial and industrial waste and non-hazardous construction, demolition and excavation waste shall be processed at the site.

Reason: In the interests of local amenity in accordance with Policy WCS13 of the Nottinghamshire and Nottingham Waste Core Strategy.

8. The total throughput of waste at the site shall not exceed 75,000 tonnes per annum.

Vehicle movements and highways matters

- 9. The number of heavy goods vehicles (HGVs) entering the site shall not exceed 500 per week (1,000 movements). Records shall be maintained by the operator of the number of HGV movements into and out of the site on a daily basis and shall be made available within seven days upon written request from the WPA. All such records shall be kept for at least 12 months.
 - Reason: To ensure the number of HGVs entering and leaving the site can be satisfactorily accommodated by the local highway network in accordance with Policy W3.14 of the Nottinghamshire and Nottingham Waste Local Plan and to minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

Noise

 Noise levels, 3.5 metres from the ground floor rear façade of the nearest residential receptor shall not exceed the background noise level L90 by more than 10dB, (including a 6dB penalty for impulsive noise) when assessed in accordance with BS4142:2014 – Methods for Rating and Assessing Industrial and Commercial Sound.

Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

11. In the event of a noise complaint being received by the WPA regarding the development hereby permitted which, in the considered opinion of the WPA may be justified, the operator shall, within one month of a written request from the WPA, undertake a BS4142:2014 noise survey to determine if the noise level detailed in Condition 12 above is being breached and submit the survey results in a report to the WPA for its approval in writing. Details of the noise survey,

Reason: In the interests of local amenity in accordance with Policy WCS13 of the Nottinghamshire and Nottingham Waste Core Strategy.

including the position of noise monitoring equipment, the methodology to be used and the date(s) for the survey to be undertaken, shall have been agreed with the WPA prior to the survey taking place. In the event that the noise survey indicates that the noise criterion detailed in Condition 10 above is being exceeded, the submitted report shall include further measures to mitigate the noise impact so as to ensure compliance with the noise criterion, including a timetable for the implementation of these additional measures. The additional mitigation measures shall be implemented in accordance with the approved details and thereafter maintained for the life of the development.

- Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.
- 12. All plant and vehicles under the control of the operator must only employ white noise (broadband) reversing alarms when operating on the site.
 - Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.
- 13. The external processing of waste on site shall be restricted to Plot 15A.
 - Reason: In the interest of local amenity and to minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.
- 14. The maximum plant and machinery complement permitted to operate at any one time at the site shall be as follows:
 - 1 x 360° claw in plot 15B;
 - 2 x 360° excavators in plot 15B;
 - 2 x loading shovels in plot 15B;
 - 1 x blower (associated with the picking station) in plot 15B;
 - 1 x screener/picking station/trommel in plot 15B;
 - 1 x screener in plot 15A;
 - 1 x 360° claw in plot 15A.

In the event that the operator wishes to use any alternative or replacement plant, the noise emissions of any alternative or replacement plant and machinery shall not exceed that which it replaces.

Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

15. All plant involved in any operations associated with the site shall only operate at ground level at all times with the exception of the mobile plant operating in Plot 15A to feed the screener which shall operate no higher than two metres above ground level.

Reason: In the interest of local amenity and to minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

- 16. All plant and machinery on site shall be regularly serviced and maintained to ensure that noise emissions do not exceed the manufacturers' specifications. In the event that the manufacturers' maximum operating noise levels are exceeded then the machinery shall be switched off and repaired/adjusted so as to ensure compliance with these operating noise levels.
 - Reason: To minimise the impact of noise from the site in accordance with Policy W3.9 of the Nottinghamshire and Nottingham Waste Local Plan.

Dust

- 17. Measures shall be employed to minimise the generation of dust leaving the site. These measures shall include:
 - (a) The sweeping and dampening of access and haul roads, where necessary;
 - (b) Limiting on-site vehicle speeds;
 - (c) Provisions for the temporary suspension of operations, including vehicle movements, during periods of unfavourably dry or windy weather conditions.

In the event that these measures prove inadequate, then within one week of a written request from the WPA additional steps or measures shall be taken in order to prevent the release of dust from the site, the details of which shall have previously been submitted to, and approved in writing by the WPA.

- Reason: To minimise the dust impacts associated with the operation of the development in accordance with Policy W3.10 of the Nottinghamshire and Nottingham Waste Local Plan.
- 18. The existing dust suppression sprinklers at the site entrance and exit points, as detailed on the drawing entitled 'Proposed Site Plan' received by the WPA on 10 December 2015 shall be used during the hours of operation detailed in Condition 4 above, and shall be maintained to the satisfaction of the WPA at all times.
 - Reason: To reduce the possibility of mud and deleterious material being deposited on the public highway in accordance with Policy W3.11 of the Nottinghamshire and Nottingham Waste Local Plan.

19. The tipping, processing, stockpiling and reloading of non-hazardous commercial and industrial waste shall only take place within the new waste transfer building hereby permitted.

Reason: In the interests of local amenity in accordance with Policy WCS13 of the Nottinghamshire and Nottingham Waste Core Strategy.

20. All stockpiles of incoming inert waste and processed inert material awaiting export shall not exceed five metres in height above ground level.

Reason: In the interests of local amenity in accordance with Policy WCS13 of the Nottinghamshire and Nottingham Waste Core Strategy.

Floodlighting

21. No floodlighting shall be erected at the site until details have been submitted to and approved in writing by the WPA. The details shall include the location and height of any floodlights; shall ensure that they are angled downwards and suitably shielded to ensure that they do not result in glare or dazzle to surrounding land, property and other users; confirm that they shall not be used outside the hours of 7am to 5.30pm Mondays to Fridays, 7am to 1pm on Saturdays and not at all on Sundays, Bank or Public Holidays; and shall confirm that outside these hours any external lighting shall be individually operated through a movement sensor switch with a maximum lighting cycle not exceeding 5 minutes. The floodlighting shall be implemented and maintained for the life of the development in accordance with the approved details.

Reason: In the interest of residential amenity.