

PHOF review for Nottinghamshire: update October 2018

The purpose of this document is to provide an overview of the Nottinghamshire County in relation to the Public health Outcomes Framework (PHOF).

This is provided as tables on the following pages, grouped by indicators where Nottinghamshire outcomes are significantly better than England (green), where there is no significant difference (amber) or significantly worse (red). Some comparisons (including those related to screening, vaccinations and chlamydia detection rate) are based on target thresholds rather than a comparison to England.

The 'trend direction' column uses the PHE designation, which is based on the most recent 5 values. This is not calculated for all indicators (grey background)

Entries in different columns are explained below:

Comparison to England
 Red: significantly worse
 Amber: not significantly different
 Green: significantly better

Polarity
 H: High is better
 L: Low is better
 N: not relevant

| Indicator Name | Sex | Relevant age group | Compared to England | Trend direction | Polarity (H) High or (L) is better. N - not relevant | Latest time period | Trendline |
|--|---------|--------------------|---------------------|-----------------|--|--------------------|-----------|
| 0.1i - Healthy life expectancy at birth | Female | All ages | Worse | - | H | 2013 - 15 | |
| 0.1i - Healthy life expectancy at birth | Male | All ages | Worse | - | H | 2013 - 15 | |
| 0.1ii - Life expectancy at birth | Female | All ages | Worse | - | H | 2013 - 15 | |
| 0.1ii - Life expectancy at birth | Male | All ages | Same | - | H | 2013 - 15 | |
| 0.1ii - Life expectancy at 65 | Female | 65 | Worse | - | H | 2013 - 15 | |
| 0.1ii - Life expectancy at 65 | Male | 65 | Same | - | H | 2013 - 15 | |
| 0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area | Female | All ages | - | - | L | 2013 - 15 | |
| 0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area | Male | All ages | - | - | L | 2013 - 15 | |
| 0.2iv - Gap in life expectancy at birth between each local authority and England as a whole | Female | All ages | Worse | - | H | 2013 - 15 | |
| 0.2iv - Gap in life expectancy at birth between each local authority and England as a whole | Male | All ages | Same | - | H | 2013 - 15 | |
| 0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas | Female | All ages | - | - | L | 2009 - 13 | |
| 0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas | Male | All ages | - | - | L | 2009 - 13 | |
| 1.01i - Children in low income families (all dependent children under 20) | Persons | 0-19 yrs | Better | Impr | L | 2014 | |
| 1.01ii - Children in low income families (under 16s) | Persons | <16 yrs | Better | Impr | L | 2014 | |

Ref number and title of indicator

Male, Female or Persons (both sexes)

Relevant age group

Trend direction (PHE definition)

Trend data. All data are annual, years differ by indicator

Data extract: <https://fingertips.phe.org.uk/profile/public-health-outcomes-framework> October 2018

David Gilding, Public Health Intelligence Team

1. Indicators where Nottinghamshire is significantly better than England

| Indicator Name | Sex | Age | Compared to England | Trend direction | Polarity: H(igh) or L(ow) is better. (Not relevant) | Latest time period | Trendline |
|---|---------|----------------------|---------------------|-----------------|--|--------------------|-----------|
| 1.01i - Children in low income families (all dependent children under 20) | Persons | 0-19 yrs | Better | Impr. | L | 2015 | |
| 1.01ii - Children in low income families (under 16s) | Persons | <16 yrs | Better | Impr. | L | 2015 | |
| 1.03 - Pupil absence | Persons | 5-15 yrs | Better | Impr. | L | 2016/17 | |
| 1.05 - 16-17 year olds not in education, employment or training (NEET) or whose activity is not known - current method | Persons | 16-17 yrs | Better | - | L | 2016 | |
| 1.05 - 16-18 year olds not in education employment or training - historical method | Persons | 16-18 yrs | Better | Impr. | L | 2015 | |
| 1.14i - The rate of complaints about noise | Persons | All ages | Better | No trend | L | 2015/16 | |
| 1.15i - Statutory homelessness - Eligible homeless people not in priority need | Persons | Not applicable | Better | - | L | 2016/17 | |
| 1.15ii - Statutory homelessness - households in temporary accommodation | Persons | Not applicable | Better | - | L | 2016/17 | |
| 2.01 - Low birth weight of term babies | Persons | >=37 weeks gestation | Better | Impr. | L | 2016 | |
| 2.05ii - Proportion of children aged 2-2½yrs receiving ASQ-3 as part of the Healthy Child Programme or integrated review | Persons | 2-2.5 yrs | Better | - | H | 2016/17 | |
| 2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds | Persons | 10-11 yrs | Better | Impr. | L | 2016/17 | |
| 2.15iv - Deaths from drug misuse | Persons | All ages | Better | - | L | 2015 - 17 | |
| 2.20i - Cancer screening coverage - breast cancer | Female | 53-70 yrs | Better | Worsening | H | 2017 | |
| 2.20ii - Cancer screening coverage - cervical cancer | Female | 25-64 yrs | Better | Worsening | H | 2017 | |
| 2.20iii - Cancer screening coverage - bowel cancer | Persons | 60-74 yrs | Better | - | H | 2017 | |
| 2.20iv - Abdominal Aortic Aneurysm Screening - Coverage | Male | 65 | Better | - | H | 2016/17 | |
| 2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check | Persons | 40-74 yrs | Better | - | H | 2013/14 - 17/18 | |

Continued ...

... Continued: Indicators where Nottinghamshire is significantly better than England

| Indicator Name | Sex | Age | Compared to England | Trend direction | Polarity: H(igh) or L(ow) is better. N(ot relevant) | Latest time period | Trendline |
|--|---------|-----------------|---------------------|-----------------|---|--------------------|-----------|
| 3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old) | Persons | 1 yr | Better | No trend | H | 2016/17 | |
| 3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old) | Persons | 2 yrs | Better | Worsening | H | 2016/17 | |
| 3.03ix - Population vaccination coverage - MMR for one dose (5 years old) | Persons | 5 yrs | Better | Impr. | H | 2016/17 | |
| 3.03v - Population vaccination coverage - PCV | Persons | 1 yr | Better | No trend | H | 2016/17 | |
| 3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old) | Persons | 2 yrs | Better | Worsening | H | 2016/17 | |
| 3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old) | Persons | 5 yrs | Better | Impr. | H | 2016/17 | |
| 3.03vii - Population vaccination coverage - PCV booster | Persons | 2 yrs | Better | Impr. | H | 2016/17 | |
| 3.03viii - Population vaccination coverage - MMR for one dose (2 years old) | Persons | 2 yrs | Better | Impr. | H | 2016/17 | |
| 3.03xii - Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old) | Female | 12-13 yrs | Better | - | H | 2016/17 | |
| 3.03xiii - Population vaccination coverage - PPV | Persons | 65+ yrs | Better | Impr. | H | 2016/17 | |
| 3.03xiv - Population vaccination coverage - Flu (aged 65+) | Persons | 65+ yrs | Better | Worsening | H | 2017/18 | |
| 3.03xv - Population vaccination coverage - Flu (at risk individuals) | Persons | 6 months-64 yrs | Better | Impr. | H | 2017/18 | |
| 3.03xvi - Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old) | Female | 13-14 yrs | Better | - | H | 2016/17 | |
| 3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old) | Persons | 70 | Better | - | H | 2016/17 | |
| 3.03xviii - Population vaccination coverage - Flu (2-3 years old) - current method | Persons | 2-3 yrs | Better | - | H | 2017/18 | |
| 3.03xviii - Population vaccination coverage - Flu (2-4 years old) - historical method | Persons | 2-4 yrs | Better | - | H | 2016/17 | |
| 3.05ii - Incidence of TB | Persons | All ages | Better | - | L | 2015 - 17 | |
| 4.02 - Proportion of five year old children free from dental decay | Persons | 5 yrs | Better | - | H | 2016/17 | |
| 4.04i - Under 75 mortality rate from all cardiovascular diseases | Persons | <75 yrs | Better | - | L | 2014 - 16 | |
| 4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable | Persons | <75 yrs | Better | - | L | 2014 - 16 | |
| 4.07ii - Under 75 mortality rate from respiratory disease considered preventable | Persons | <75 yrs | Better | - | L | 2014 - 16 | |
| 4.09ii - Proportion of adults in the population in contact with secondary mental health services | Persons | 18-74 yrs | Better | - | L | 2014/15 | |
| 4.10 - Suicide rate | Persons | 10+ yrs | Better | - | L | 2014 - 16 | |
| 4.11 - Emergency readmissions within 30 days of discharge from hospital | Persons | All ages | Better | - | L | 2011/12 | |
| 4.12i - Preventable sight loss - age related macular degeneration (AMD) | Persons | 65+ yrs | Better | Impr. | L | 2016/17 | |
| 4.12ii - Preventable sight loss - glaucoma | Persons | 40+ yrs | Better | No trend | L | 2016/17 | |
| 4.12iv - Preventable sight loss - sight loss certifications | Persons | All ages | Better | Impr. | L | 2016/17 | |
| 4.16 - Estimated dementia diagnosis rate (aged 65+) | Persons | 65+ yrs | Better | - | H | 2018 | |

2. Indicators where Nottinghamshire is similar to England

| Indicator Name | Sex | Age | Compared to England | Trend direction | Polarity: H(igh) or L(ow) is better. N(ot) releva | Latest time period | Trendline |
|--|---------|-----------|---------------------|-----------------|--|---------------------|-----------|
| 1.04 - First time entrants to the youth justice system | Persons | 10-17 yrs | Similar | Impr. | L | 2017 | |
| 1.06i - Adults with a learning disability who live in stable and appropriate accommodation | Persons | 18-64 yrs | Similar | Impr. | H | 2016/17 | |
| 1.08iv - Percentage of people aged 16-64 in employment | Persons | 16-64 yrs | Similar | Impr. | H | 2016/17 | |
| 1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week | Persons | 16+ yrs | Similar | - | L | 2014 - 16 | |
| 1.09ii - Sickness absence - the percentage of working days lost due to sickness absence | Persons | 16+ yrs | Similar | - | L | 2014 - 16 | |
| 1.10 - Killed and seriously injured (KSI) casualties on England's roads | Persons | All ages | Similar | - | L | 2014 - 16 | |
| 1.16 - Utilisation of outdoor space for exercise/health reasons | Persons | 16+ yrs | Similar | - | H | Mar 2015 - Feb 2016 | |
| 1.18i - Social Isolation: percentage of adult social care users who have as much social contact as they would like | Persons | 18+ yrs | Similar | - | H | 2016/17 | |
| 2.04 - Under 18 conceptions | Female | <18 yrs | Similar | Impr. | L | 2016 | |
| 2.04 - Under 18 conceptions: conceptions in those aged under 16 | Female | <16 yrs | Similar | Impr. | L | 2016 | |
| 2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds | Persons | 4-5 yrs | Similar | Impr. | L | 2016/17 | |
| 2.09i - Smoking prevalence at age 15 - current smokers (WAY survey) | Persons | 15 yrs | Similar | - | L | 2014/15 | |
| 2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey) | Persons | 15 yrs | Similar | - | L | 2014/15 | |
| 2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey) | Persons | 15 yrs | Similar | - | L | 2014/15 | |
| 2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) | Persons | 16+ yrs | Similar | - | H | 2016/17 | |
| 2.11ii - Average number of portions of fruit consumed daily (adults) | Persons | 16+ yrs | Similar | - | H | 2016/17 | |
| 2.11iii - Average number of portions of vegetables consumed daily (adults) | Persons | 16+ yrs | Similar | - | H | 2016/17 | |
| 2.11iv - Proportion of the population meeting the recommended "5-a-day" at age 15 | Persons | 15 yrs | Similar | - | H | 2014/15 | |
| 2.11v - Average number of portions of vegetables consumed daily at age 15 (WAY survey) | Persons | 15 yrs | Similar | - | H | 2014/15 | |
| 2.13i - Percentage of physically active adults | Persons | 19+ yrs | Similar | - | H | 2016/17 | |
| 2.13ii - Percentage of physically inactive adults | Persons | 19+ yrs | Similar | - | L | 2016/17 | |
| 2.14 - Smoking Prevalence in adults - current smokers (APS) | Persons | 18+ yrs | Similar | - | L | 2017 | |
| 2.17 - Estimated diabetes diagnosis rate | Persons | 17+ yrs | Similar | - | H | 2017 | |
| 2.23ii - Self-reported wellbeing - people with a low worthwhile score | Persons | 16+ yrs | Similar | - | L | 2016/17 | |
| 2.23iii - Self-reported wellbeing - people with a low happiness score | Persons | 16+ yrs | Similar | - | L | 2016/17 | |
| 2.23iv - Self-reported wellbeing - people with a high anxiety score | Persons | 16+ yrs | Similar | - | L | 2016/17 | |

Continued ...

... continued: Indicators where Nottinghamshire is similar to England

| Indicator Name | Sex | Age | Compared to England | Trend direction | Polarity: H(igh) or L(ow) is better. <small>(Not relevant)</small> | Latest time period | Trendline |
|--|-------------|----------------|---------------------|-----------------|---|---------------------|-----------|
| 3.03x - Population vaccination coverage - MMR for two doses (5 years old) | Persons | 5 yrs | Similar | Impr. | H | 2016/17 | |
| 3.04 - HIV late diagnosis | Persons | 15+ yrs | Similar | - | L | 2015 - 17 | |
| 3.06 - NHS organisations with a board approved sustainable development management plan | Not applica | Not applicable | Similar | No trend | H | 2015/16 | |
| 4.01 - Infant mortality | Persons | < 1 yr | Similar | - | L | 2014 - 16 | |
| 4.03 - Mortality rate from causes considered preventable | Persons | All ages | Similar | - | L | 2014 - 16 | |
| 4.05i - Under 75 mortality rate from cancer | Persons | <75 yrs | Similar | - | L | 2014 - 16 | |
| 4.06i - Under 75 mortality rate from liver disease | Persons | <75 yrs | Similar | - | L | 2014 - 16 | |
| 4.06ii - Under 75 mortality rate from liver disease considered preventable | Persons | <75 yrs | Similar | - | L | 2014 - 16 | |
| 4.07i - Under 75 mortality rate from respiratory disease | Persons | <75 yrs | Similar | - | L | 2014 - 16 | |
| 4.08 - Mortality rate from a range of specified communicable diseases, including influenza | Persons | All ages | Similar | - | L | 2014 - 16 | |
| 4.12iii - Preventable sight loss - diabetic eye disease | Persons | 12+ yrs | Similar | No trend | L | 2016/17 | |
| 4.15i - Excess winter deaths index (single year, all ages) | Persons | All ages | Similar | - | L | Aug 2015 - Jul 2016 | |
| 4.15ii - Excess winter deaths index (single year, age 85+) | Persons | 85+ yrs | Similar | - | L | Aug 2015 - Jul 2016 | |
| 4.15iii - Excess winter deaths index (3 years, all ages) | Persons | All ages | Similar | - | L | Aug 2013 - Jul 2016 | |

3. Indicators where Nottinghamshire is significantly worse than England

| Indicator Name | Sex | Age | Compared to England | Trend direction | Polarity: H(igh) or L(ow) is | Latest time period | Trendline |
|---|---------|-----------|---------------------|-----------------|------------------------------|---------------------|-----------|
| 0.1i - Healthy life expectancy at birth | Male | All ages | Worse | - | H | 2014 - 16 | |
| 0.1ii - Life expectancy at birth | Female | All ages | Worse | - | H | 2014 - 16 | |
| 0.1ii - Life expectancy at 65 | Female | 65 | Worse | - | H | 2014 - 16 | |
| 0.1ii - Life expectancy at 65 | Male | 65 | Worse | - | H | 2014 - 16 | |
| 0.2iv - Gap in life expectancy at birth between each local authority and England as a whole | Female | All ages | Worse | - | H | 2014 - 16 | |
| 1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception | Persons | 5 yrs | Worse | Impr. | H | 2016/17 | |
| 1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception | Persons | 5 yrs | Worse | Impr. | H | 2016/17 | |
| 1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check | Persons | 6 yrs | Worse | Impr. | H | 2016/17 | |
| 1.02ii - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check | Persons | 6 yrs | Worse | Impr. | H | 2016/17 | |
| 1.06ii - Adults in contact with secondary mental health services who live in stable and appropriate accommodation | Persons | 18-69 yrs | Worse | - | H | 2016/17 | |
| 1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate | Persons | 16-64 yrs | Worse | - | L | 2016/17 | |
| 1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate | Persons | 18-64 yrs | Worse | - | L | 2016/17 | |
| 2.03 - Smoking status at time of delivery - current method | Female | All ages | Worse | Impr. | L | 2016/17 | |
| 2.03 - Smoking status at time of delivery - historical method | Female | All ages | Worse | - | L | 2016/17 | |
| 2.08ii - Percentage of children where there is a cause for concern | Persons | 5-16 yrs | Worse | - | L | 2016/17 | |
| 2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey) | Persons | 15 yrs | Worse | - | H | 2014/15 | |
| 2.12 - Percentage of adults (aged 18+) classified as overweight or obese | Persons | 18+ yrs | Worse | - | L | 2016/17 | |
| 2.15i - Successful completion of drug treatment - opiate users | Persons | 18-75 yrs | Worse | Worsening | H | 2016 | |
| 2.15ii - Successful completion of drug treatment - non-opiate users | Persons | 18-75 yrs | Worse | Worsening | H | 2016 | |
| 2.15iii - Successful completion of alcohol treatment | Persons | 18-75 yrs | Worse | No trend | H | 2016 | |
| 2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison | Persons | 18+ yrs | Worse | - | H | 2016/17 | |
| 2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check | Persons | 40-74 yrs | Worse | - | H | 2013/14 - 17/18 | |
| 2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check | Persons | 40-74 yrs | Worse | - | H | 2013/14 - 17/18 | |
| 3.02 - Chlamydia detection rate (15-24 year olds) | Persons | 15-24 yrs | Worse | Worsening | H | 2017 | |
| 3.05i - Treatment completion for TB | Persons | All ages | Worse | Impr. | H | 2016 | |
| 3.08 - Adjusted antibiotic prescribing in primary care by the NHS | Persons | All ages | Worse | - | L | 2017 | |
| 4.05ii - Under 75 mortality rate from cancer considered preventable | Persons | <75 yrs | Worse | - | L | 2014 - 16 | |
| 4.13 - Health related quality of life for older people | Persons | 65+ yrs | Worse | - | H | 2016/17 | |
| 4.15iv - Excess winter deaths index (3 years, age 85+) | Persons | 85+ yrs | Worse | - | L | Aug 2013 - Jul 2016 | |

4 Other indicators – no statistical comparison

| Indicator Name | Sex | Age | Compared to England | Trend direction | Polarity: H(igh) or L(ow) is better. N(ot relevant) | Latest time period | Trendline |
|---|---------|-----------|---------------------|-----------------|---|--------------------|-----------|
| 0.2i - Inequality in life expectancy at birth ENGLAND | Female | All ages | - | - | L | 2014 - 16 | |
| 0.2i - Inequality in life expectancy at birth ENGLAND | Male | All ages | - | - | L | 2014 - 16 | |
| 0.2iii - Inequality in life expectancy at birth LA | Female | All ages | - | - | L | 2014 - 16 | |
| 0.2iii - Inequality in life expectancy at birth LA | Male | All ages | - | - | L | 2014 - 16 | |
| 0.2iii - Inequality in life expectancy at 65 LA | Female | 65 | - | - | L | 2014 - 16 | |
| 0.2iii - Inequality in life expectancy at 65 LA | Male | 65 | - | - | L | 2014 - 16 | |
| 0.2vi - Inequality in healthy life expectancy at birth LA | Female | All ages | - | - | L | 2009 - 13 | |
| 0.2vi - Inequality in healthy life expectancy at birth LA | Male | All ages | - | - | L | 2009 - 13 | |
| 1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate | Persons | 18-69 yrs | - | - | L | 2016/17 | |
| 1.11 - Domestic abuse-related incidents and crimes - current method | Persons | 16+ yrs | - | - | N | 2016/17 | |
| 1.11 - Domestic abuse - historic method | Persons | 16+ yrs | - | - | N | 2014/15 | |
| 1.12i - Violent crime (including sexual violence) - hospital admissions for violence | Persons | All ages | - | - | L | 2014/15 - 16/17 | |
| 1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population | Persons | All ages | - | Getting higher | N | 2016/17 | |
| 1.12iii - Violent crime (including sexual violence) - rate of sexual offences per 1,000 population | Persons | All ages | - | Getting higher | N | 2016/17 | |
| 1.13i - Re-offending levels - percentage of offenders who re-offend | Persons | All ages | - | Getting lower | N | 2014 | |
| 1.13ii - Re-offending levels - average number of re-offences per offender | Persons | All ages | - | Getting higher | N | 2014 | |
| 1.13iii - First time offenders | Persons | All ages | - | Getting lower | N | 2017 | |
| 1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime | Persons | All ages | - | - | L | 2011 | |
| 1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time | Persons | All ages | - | - | L | 2011 | |
| 1.17 - Fuel poverty | Persons | All ages | - | Impr. | L | 2015 | |
| 2.02i - Breastfeeding initiation | Female | All ages | - | - | H | 2016/17 | |
| 2.02ii - Breastfeeding prevalence at 6-8 weeks after birth - current method | Persons | 6-8 weeks | - | - | H | 2016/17 | |
| 2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years) | Persons | <15 yrs | - | - | L | 2016/17 | |
| 2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years) | Persons | 0-4 yrs | - | - | L | 2016/17 | |
| 2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years) | Persons | 15-24 yrs | - | - | L | 2016/17 | |
| 2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March | Persons | 5-16 yrs | - | - | L | 2016/17 | |

... continued: Indicators where there is no statistical comparison to England

| | | | | | | | |
|---|---------|-----------|---|---------------|---|---------|--|
| 2.10ii - Emergency Hospital Admissions for Intentional Self-Harm | Persons | All ages | - | - | L | 2016/17 | |
| 2.18 - Admission episodes for alcohol-related conditions - narrow definition | Persons | All ages | - | - | L | 2016/17 | |
| 2.19 - Cancer diagnosed at early stage (experimental statistics) | Persons | All ages | - | - | N | 2016 | |
| 2.20v - Diabetic eye screening - uptake | Persons | 12+ yrs | - | - | H | 2016/17 | |
| 2.20vii - Infectious Diseases in Pregnancy Screening - HIV Coverage | Female | All ages | - | - | H | 2016/17 | |
| 2.20x - Sickle Cell and Thalassaemia Screening - Coverage | Female | All ages | - | - | H | 2016/17 | |
| 2.20xi - Newborn Blood Spot Screening - Coverage | Persons | < 1 yr | - | - | H | 2016/17 | |
| 2.20xii - Newborn Hearing Screening - Coverage | Persons | < 1 yr | - | - | H | 2016/17 | |
| 2.20xiii - Newborn and Infant Physical Examination Screening - Coverage | Persons | < 1 yr | - | - | H | 2016/17 | |
| 2.23i - Self-reported wellbeing - people with a low satisfaction score | Persons | 16+ yrs | - | - | L | 2016/17 | |
| 2.24i - Emergency hospital admissions due to falls in people aged 65 and over | Persons | 65+ yrs | - | - | L | 2016/17 | |
| 2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 | Persons | 65-79 yrs | - | - | L | 2016/17 | |
| 2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ | Persons | 80+ yrs | - | - | L | 2016/17 | |
| 3.01 - Fraction of mortality attributable to particulate air pollution | Persons | 30+ yrs | - | - | L | 2016 | |
| 3.02 - Chlamydia detection rate (15-24 year olds) | Female | 15-24 yrs | - | Getting lower | H | 2017 | |
| 3.02 - Chlamydia detection rate (15-24 year olds) | Male | 15-24 yrs | - | Getting lower | H | 2017 | |
| 3.03i - Population vaccination coverage - Hepatitis B (1 year old) | Persons | 1 yr | - | - | H | 2016/17 | |
| 3.03i - Population vaccination coverage - Hepatitis B (2 years old) | Persons | 2 yrs | - | - | H | 2016/17 | |
| 3.03ii - Population vaccination coverage - BCG - areas offering universal BCG only | Persons | 1 yr | - | - | H | 2016/17 | |
| 3.03iv - Population vaccination coverage - MenC | Persons | 1 yr | - | - | H | 2015/16 | |
| 4.09i - Excess under 75 mortality rate in adults with serious mental illness | Persons | 18-74 yrs | - | - | L | 2014/15 | |
| 4.14i - Hip fractures in people aged 65 and over | Persons | 65+ yrs | - | - | L | 2016/17 | |
| 4.14ii - Hip fractures in people aged 65 and over - aged 65-79 | Persons | 65-79 yrs | - | - | L | 2016/17 | |
| 4.14iii - Hip fractures in people aged 65 and over - aged 80+ | Persons | 80+ yrs | - | - | L | 2016/17 | |