

GROUP D3 - DRAINS AND SEWERS UNDER FIELDS AND GARDENS

Asbestos Cement Pipes to BS EN 588-1:1997

PIPE DIA (mm)	COVER (METRES)	TYPE OF BEDDING	CLASS OF PIPE	
150	0.6 - 6.0	B	H	
225	0.9 - 6.0	B	H	
300	0.6 - 4.3	B	M	
	4.3 - 6.0	B	H	
375	0.6 - 4.1	B	M	
	4.1 - 6.0	B	H	
450	0.6 - 3.0	B	L	
	3.0 - 4.0	A	L	
	4.0 - 4.7	OR B	M	
		A	L	
	4.7 - 6.0	A	M	
		OR B	H	
525	0.6 - 2.8	B	L	
	2.8 - 4.2	A	L	
	4.2 - 5.3	OR B	M	
		A	L	
	5.3 - 6.0	A	M	
		OR B	H	
600	0.6 - 2.4	B	L	
	2.4 - 4.4	A	L	
	4.4 - 6.0	OR B	M	
		A	M	
			OR B	H

Ductile Iron to BS EN 969:2009, BS EN 545:2002 & BS EN 598:2007+A1:2009

PIPE DIA (mm)	COVER (METRES)	TYPE OF BEDDING	CLASS OF PIPE
150	0.6 - 6.0	Q	K9
225	0.6 - 6.0	Q	K9
300	0.6 - 6.0	Q	K9
450	0.9 - 6.0	E	K9
600	1.3 - 6.0	Q	K9

NOTES:

For Notes see Drg No SD/5/5.

Rev.	Description	Drawn	Ch'kd	Auth	Date



in partnership with



**Nottinghamshire
County Council**

www.viaem.co.uk Tel 0115 804 2100

Bilthorpe Depot, Bilthorpe Business Park, Bilthorpe,
Nottinghamshire, NG22 8ST

Project		Highway Construction Details			Project	Drawn	Date
Status	Project No.	DRAINAGE			Ch'kd	JLS	10/06/2020
Drawing Title		Group D3 - Tables of Strengths and Depths			Auth	JJP	Traced JLS
Drawing No.		SD/5/9			Rev.	0	Scale N.T.S @A4